



INSPECTORATE

ISO 9001:2000

**Barge "SMI-225"
Settoon Towing, LLC
INNAGE TABLE**

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 8'-5 7/8" (TO RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)
STAR REFERENCE GAUGE HEIGHT : 8'-5 5/8" (TO RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

STRAPPED: 12/16/16
REISSUED: 7/15/09
WE CERTIFY ALL N
IN ACCORDANCE
ARE TRUE AND
INSPECTORATE A



Barge "SMI-225"
Settoon Towing, LLC
 INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	
0	3.25	0	142.35	0	285.88	0	431.41	0	576.32	0	721.23	0	866.01	0	1,008.57	0	0	0	0	0	0	0	0	0
1/4	5.05	1/4	145.36	1/4	289.89	1/4	434.43	1/4	579.34	1/4	724.25	1/4	868.99	1/4	1,011.31	1/4	1,154.14	1/4	1,296.54	1/4	1,437.43	1/4	1,577.81	1/4
1/2	6.86	1/2	148.38	1/2	292.90	1/2	437.45	1/2	582.36	1/2	727.27	1/2	871.98	1/2	1,013.50	1/2	1,156.33	1/2	1,297.73	1/2	1,438.62	1/2	1,579.01	1/2
3/4	8.67	3/4	151.39	3/4	295.91	3/4	440.47	3/4	585.38	3/4	730.29	3/4	874.96	3/4	1,015.59	3/4	1,159.42	3/4	1,300.82	3/4	1,441.21	3/4	1,582.60	3/4
1	10.47	1	154.40	1	298.93	1	443.49	1	588.40	1	733.31	1	877.95	1	1,017.88	1	1,161.71	1	1,303.11	1	1,444.50	1	1,587.89	1
1/4	13.18	1/4	157.41	1/4	301.93	1/4	446.50	1/4	591.42	1/4	736.33	1/4	880.93	1/4	1,020.07	1/4	1,163.90	1/4	1,305.30	1/4	1,446.69	1/4	1,591.08	1/4
1/2	15.89	1/2	160.42	1/2	304.94	1/2	449.52	1/2	594.44	1/2	739.35	1/2	883.92	1/2	1,021.71	1/2	1,165.54	1/2	1,306.94	1/2	1,448.13	1/2	1,592.47	1/2
3/4	18.90	3/4	163.43	3/4	307.95	3/4	452.54	3/4	597.45	3/4	742.37	3/4	886.90	3/4	1,023.35	3/4	1,167.18	3/4	1,308.58	3/4	1,450.07	3/4	1,594.01	3/4
2	21.91	2	166.44	2	310.96	2	455.56	2	600.47	2	745.39	2	889.89	2	1,024.99	2	1,168.81	2	1,310.22	2	1,451.61	2	1,595.54	2
1/4	24.92	1/4	169.45	1/4	313.97	1/4	458.58	1/4	603.49	1/4	748.40	1/4	892.87	1/4	1,026.64	1/4	1,170.44	1/4	1,311.85	1/4	1,453.15	1/4	1,597.08	1/4
1/2	27.94	1/2	172.46	1/2	316.97	1/2	461.60	1/2	606.51	1/2	751.42	1/2	895.86	1/2	1,027.73	1/2	1,172.07	1/2	1,313.49	1/2	1,454.69	1/2	1,598.62	1/2
3/4	30.95	3/4	175.47	3/4	319.98	3/4	464.62	3/4	609.53	3/4	754.44	3/4	898.84	3/4	1,028.82	3/4	1,173.71	3/4	1,315.13	3/4	1,456.23	3/4	1,600.16	3/4
3	33.96	3	178.49	3	322.99	3	467.64	3	612.55	3	757.46	3	901.83	3	1,029.92	3	1,175.35	3	1,316.77	3	1,457.77	3	1,601.70	3
1/4	36.97	1/4	181.50	1/4	326.00	1/4	470.66	1/4	615.57	1/4	760.48	1/4	904.81	1/4	1,031.01	1/4	1,176.99	1/4	1,318.41	1/4	1,459.31	1/4	1,603.24	1/4
1/2	39.98	1/2	184.51	1/2	329.01	1/2	473.68	1/2	618.59	1/2	763.50	1/2	907.80	1/2	1,031.56	1/2	1,178.62	1/2	1,320.05	1/2	1,460.85	1/2	1,604.78	1/2
3/4	42.99	3/4	187.52	3/4	332.01	3/4	476.69	3/4	621.61	3/4	766.52	3/4	910.78	3/4	1,032.11	3/4	1,180.24	3/4	1,321.69	3/4	1,462.39	3/4	1,606.32	3/4
4	46.00	4	190.53	4	335.02	4	479.71	4	624.63	4	769.54	4	913.77	4	1,032.65	4	1,181.87	4	1,323.33	4	1,463.93	4	1,607.86	4
1/4	49.01	1/4	193.54	1/4	338.03	1/4	482.73	1/4	627.64	1/4	772.56	1/4	916.75	1/4	1,033.20	1/4	1,183.50	1/4	1,325.00	1/4	1,465.47	1/4	1,609.40	1/4
1/2	52.02	1/2	196.55	1/2	341.04	1/2	485.75	1/2	630.66	1/2	775.58	1/2	919.74	1/2	1,033.74	1/2	1,185.13	1/2	1,326.64	1/2	1,467.01	1/2	1,610.94	1/2
3/4	55.03	3/4	199.56	3/4	344.05	3/4	488.77	3/4	633.68	3/4	778.59	3/4	922.72	3/4	1,034.28	3/4	1,186.77	3/4	1,328.28	3/4	1,468.55	3/4	1,612.48	3/4
5	58.05	5	202.57	5	347.05	5	491.79	5	636.70	5	781.61	5	925.71	5	1,034.82	5	1,188.40	5	1,329.92	5	1,470.09	5	1,614.02	5
1/4	61.06	1/4	205.58	1/4	350.06	1/4	494.81	1/4	639.72	1/4	784.63	1/4	928.69	1/4	1,035.36	1/4	1,190.03	1/4	1,331.56	1/4	1,471.63	1/4	1,615.56	1/4
1/2	64.07	1/2	208.59	1/2	353.07	1/2	497.83	1/2	642.74	1/2	787.65	1/2	931.68	1/2	1,035.90	1/2	1,191.66	1/2	1,333.20	1/2	1,473.17	1/2	1,617.09	1/2
3/4	67.08	3/4	211.61	3/4	356.08	3/4	500.85	3/4	645.76	3/4	790.67	3/4	934.66	3/4	1,036.44	3/4	1,193.29	3/4	1,334.84	3/4	1,474.71	3/4	1,618.62	3/4
6	70.09	6	214.62	6	359.09	6	503.87	6	648.78	6	793.69	6	937.65	6	1,036.98	6	1,194.91	6	1,336.48	6	1,476.25	6	1,620.16	6
1/4	73.10	1/4	217.63	1/4	362.09	1/4	506.88	1/4	651.80	1/4	796.71	1/4	940.63	1/4	1,037.52	1/4	1,196.53	1/4	1,338.12	1/4	1,477.79	1/4	1,621.70	1/4
1/2	76.11	1/2	220.64	1/2	365.10	1/2	509.90	1/2	654.82	1/2	799.73	1/2	943.62	1/2	1,038.06	1/2	1,198.15	1/2	1,339.76	1/2	1,479.33	1/2	1,623.24	1/2
3/4	79.12	3/4	223.65	3/4	368.11	3/4	512.92	3/4	657.83	3/4	802.75	3/4	946.60	3/4	1,038.60	3/4	1,199.77	3/4	1,341.40	3/4	1,480.87	3/4	1,624.78	3/4
7	82.13	7	226.66	7	371.12	7	515.94	7	660.85	7	805.77	7	949.59	7	1,039.14	7	1,201.39	7	1,343.04	7	1,482.41	7	1,626.32	7
1/4	85.14	1/4	229.67	1/4	374.13	1/4	518.96	1/4	663.87	1/4	808.78	1/4	952.57	1/4	1,039.68	1/4	1,203.01	1/4	1,344.68	1/4	1,483.95	1/4	1,627.86	1/4
1/2	88.16	1/2	232.68	1/2	377.14	1/2	521.98	1/2	666.89	1/2	811.80	1/2	955.56	1/2	1,040.22	1/2	1,204.63	1/2	1,346.32	1/2	1,485.49	1/2	1,629.40	1/2
3/4	91.17	3/4	235.69	3/4	380.14	3/4	525.00	3/4	669.91	3/4	814.82	3/4	958.54	3/4	1,040.76	3/4	1,206.25	3/4	1,347.96	3/4	1,487.03	3/4	1,630.94	3/4
8	94.18	8	238.71	8	383.15	8	528.02	8	672.93	8	817.84	8	961.53	8	1,041.30	8	1,207.87	8	1,349.60	8	1,488.57	8	1,632.48	8
1/4	97.19	1/4	241.72	1/4	386.16	1/4	531.04	1/4	675.95	1/4	820.86	1/4	964.51	1/4	1,041.84	1/4	1,209.49	1/4	1,351.24	1/4	1,490.11	1/4	1,634.02	1/4
1/2	100.20	1/2	244.73	1/2	389.17	1/2	534.06	1/2	678.97	1/2	823.88	1/2	967.50	1/2	1,042.38	1/2	1,211.11	1/2	1,352.88	1/2	1,491.65	1/2	1,635.56	1/2
3/4	103.21	3/4	247.74	3/4	392.17	3/4	537.07	3/4	681.99	3/4	826.90	3/4	970.48	3/4	1,042.92	3/4	1,212.73	3/4	1,354.52	3/4	1,493.19	3/4	1,637.10	3/4
9	106.22	9	250.75	9	395.18	9	540.09	9	685.01	9	829.92	9	973.47	9	1,043.46	9	1,214.35	9	1,356.16	9	1,494.73	9	1,638.64	9
1/4	109.23	1/4	253.76	1/4	398.20	1/4	543.11	1/4	688.02	1/4	832.94	1/4	976.45	1/4	1,044.00	1/4	1,215.97	1/4	1,358.20	1/4	1,496.27	1/4	1,640.18	1/4
1/2	112.24	1/2	256.77	1/2	401.22	1/2	546.13	1/2	691.04	1/2	835.96	1/2	979.44	1/2	1,044.54	1/2	1,217.59	1/2	1,360.24	1/2	1,497.81	1/2	1,641.72	1/2
3/4	115.25	3/4	259.78	3/4	404.24	3/4	549.15	3/4	694.06	3/4	838.97	3/4	982.42	3/4	1,045.08	3/4	1,219.21	3/4	1,362.28	3/4	1,499.35	3/4	1,643.26	3/4
10	118.27	10	262.79	10	407.26	10	552.17	10	697.08	10	841.99	10	985.41	10	1,045.62	10	1,220.83	10	1,364.34	10	1,500.89	10	1,644.80	10
1/4	121.28	1/4	265.80	1/4	410.28	1/4	555.19	1/4	700.10	1/4	845.01	1/4	988.39	1/4	1,046.16	1/4	1,222.45	1/4	1,366.40	1/4	1,502.43	1/4	1,646.34	1/4
1/2	124.29	1/2	268.82	1/2	413.30	1/2	558.21	1/2	703.12	1/2	848.03	1/2	991.38	1/2	1,046.70	1/2	1,224.07	1/2	1,368.46	1/2	1,503.97	1/2	1,647.88	1/2
3/4	127.30	3/4	271.83	3/4	416.31	3/4	561.23	3/4	706.14	3/4	851.05	3/4	994.36	3/4	1,047.24	3/4	1,225.69	3/4	1,370.52	3/4	1,505.51	3/4	1,649.42	3/4
11	130.31	11	2																					



Barge "SMI-225" Settoon Towing, LLC INNAGE TABLE

BARGE SHOULD BE ON EVEN LEVEL KEEL WHEN GAUGES ARE TAKEN

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	N	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
1/4	5.44	1/4	158.76	1/4	316.68	1/4	474.60	1/4	631.50	1/4	788.70	1/4	945.84	1/4	1,101.36	1/4	1,256.88	1/4	1,411.80	1/4	1,566.84	1/4	1,721.88	1/4	1,876.92
1/2	7.42	1/2	162.05	1/2	319.97	1/2	477.92	1/2	634.78	1/2	791.98	1/2	949.10	1/2	1,103.75	1/2	1,258.26	1/2	1,413.36	1/2	1,568.44	1/2	1,723.52	1/2	1,878.60
3/4	9.39	3/4	165.34	3/4	323.26	3/4	480.85	3/4	638.06	3/4	795.25	3/4	952.36	3/4	1,109.14	3/4	1,266.33	3/4	1,423.52	3/4	1,580.71	3/4	1,737.90	3/4	1,895.09
1	11.36	1	168.63	1	326.55	1	484.13	1	641.33	1	798.53	1	955.62	1	1,108.53	1	1,266.33	1	1,424.13	1	1,581.33	1	1,738.52	1	1,895.71
1/4	14.32	1/4	171.92	1/4	329.83	1/4	487.40	1/4	644.60	1/4	801.80	1/4	958.89	1/4	1,110.93	1/4	1,269.53	1/4	1,426.13	1/4	1,583.33	1/4	1,740.52	1/4	1,897.71
1/2	17.29	1/2	175.21	1/2	333.12	1/2	490.68	1/2	647.88	1/2	805.08	1/2	962.15	1/2	1,112.72	1/2	1,271.32	1/2	1,428.52	1/2	1,586.12	1/2	1,743.51	1/2	1,900.70
3/4	20.58	3/4	178.50	3/4	336.41	3/4	493.55	3/4	651.15	3/4	808.35	3/4	965.41	3/4	1,114.51	3/4	1,273.11	3/4	1,430.71	3/4	1,588.31	3/4	1,745.70	3/4	1,902.89
2	23.87	2	181.79	2	339.69	2	497.23	2	654.43	2	811.63	2	968.67	2	1,116.31	2	1,275.31	2	1,432.91	2	1,590.51	2	1,747.90	2	1,905.09
1/4	27.16	1/4	185.08	1/4	342.98	1/4	500.50	1/4	657.70	1/4	814.90	1/4	971.93	1/4	1,118.10	1/4	1,277.10	1/4	1,435.10	1/4	1,592.70	1/4	1,750.09	1/4	1,907.28
1/2	30.45	1/2	188.37	1/2	346.27	1/2	503.78	1/2	660.98	1/2	818.18	1/2	975.20	1/2	1,119.30	1/2	1,278.90	1/2	1,437.30	1/2	1,594.90	1/2	1,752.28	1/2	1,909.47
3/4	33.74	3/4	191.66	3/4	349.55	3/4	507.05	3/4	664.25	3/4	821.45	3/4	978.46	3/4	1,120.49	3/4	1,280.49	3/4	1,439.49	3/4	1,597.09	3/4	1,754.47	3/4	1,911.64
4	46.90	4	208.11	4	365.99	4	523.43	4	680.63	4	837.83	4	994.77	4	1,124.67	4	1,284.67	4	1,443.67	4	1,600.67	4	1,756.64	4	1,913.81
1/4	53.48	1/4	211.40	1/4	369.28	1/4	526.70	1/4	683.80	1/4	841.10	1/4	998.03	1/4	1,126.27	1/4	1,286.27	1/4	1,445.27	1/4	1,602.27	1/4	1,758.24	1/4	1,915.98
1/2	56.77	1/2	214.69	1/2	372.56	1/2	529.98	1/2	687.18	1/2	844.38	1/2	1,001.29	1/2	1,123.48	1/2	1,288.48	1/2	1,447.48	1/2	1,604.48	1/2	1,760.24	1/2	1,918.15
3/4	60.06	3/4	217.98	3/4	375.85	3/4	533.25	3/4	690.45	3/4	847.65	3/4	1,004.55	3/4	1,125.67	3/4	1,290.67	3/4	1,449.67	3/4	1,606.67	3/4	1,762.44	3/4	1,920.42
5	63.35	5	221.27	5	379.14	5	536.53	5	693.73	5	850.93	5	1,007.82	5	1,127.86	5	1,292.86	5	1,451.86	5	1,608.86	5	1,764.64	5	1,922.61
1/4	66.64	1/4	224.56	1/4	382.42	1/4	539.80	1/4	697.00	1/4	854.20	1/4	1,011.08	1/4	1,129.08	1/4	1,295.08	1/4	1,454.08	1/4	1,611.08	1/4	1,766.84	1/4	1,924.78
1/2	69.93	1/2	227.85	1/2	385.71	1/2	543.08	1/2	700.28	1/2	857.48	1/2	1,014.34	1/2	1,131.34	1/2	1,297.34	1/2	1,456.34	1/2	1,613.34	1/2	1,769.08	1/2	1,927.08
3/4	73.22	3/4	231.14	3/4	389.00	3/4	546.35	3/4	703.55	3/4	860.75	3/4	1,017.60	3/4	1,133.60	3/4	1,300.60	3/4	1,458.60	3/4	1,615.60	3/4	1,771.36	3/4	1,929.36
6	76.51	6	234.43	6	392.29	6	549.63	6	706.83	6	864.03	6	1,020.86	6	1,135.86	6	1,303.86	6	1,460.86	6	1,617.86	6	1,773.60	6	1,931.64
1/4	79.80	1/4	237.72	1/4	395.57	1/4	552.90	1/4	710.10	1/4	867.30	1/4	1,024.13	1/4	1,138.13	1/4	1,306.13	1/4	1,463.13	1/4	1,619.13	1/4	1,775.88	1/4	1,933.88
1/2	83.09	1/2	241.01	1/2	398.86	1/2	556.18	1/2	713.38	1/2	870.58	1/2	1,027.39	1/2	1,140.39	1/2	1,308.39	1/2	1,465.39	1/2	1,621.39	1/2	1,778.12	1/2	1,936.12
3/4	86.38	3/4	244.30	3/4	402.15	3/4	559.45	3/4	716.65	3/4	873.85	3/4	1,030.65	3/4	1,142.65	3/4	1,310.65	3/4	1,467.65	3/4	1,623.65	3/4	1,780.36	3/4	1,938.36
7	89.67	7	247.59	7	405.43	7	562.73	7	719.93	7	877.13	7	1,033.91	7	1,144.91	7	1,312.91	7	1,469.91	7	1,625.91	7	1,782.60	7	1,940.60
1/4	92.96	1/4	250.88	1/4	408.72	1/4	566.00	1/4	723.20	1/4	880.40	1/4	1,037.17	1/4	1,147.17	1/4	1,315.17	1/4	1,472.17	1/4	1,628.17	1/4	1,784.84	1/4	1,942.84
1/2	96.25	1/2	254.17	1/2	412.01	1/2	569.28	1/2	726.48	1/2	883.68	1/2	1,040.44	1/2	1,149.44	1/2	1,317.44	1/2	1,474.44	1/2	1,630.44	1/2	1,787.08	1/2	1,945.08
3/4	99.54	3/4	257.46	3/4	415.29	3/4	572.55	3/4	729.75	3/4	886.95	3/4	1,043.70	3/4	1,151.70	3/4	1,319.70	3/4	1,476.70	3/4	1,632.70	3/4	1,789.32	3/4	1,947.32
8	102.83	8	260.75	8	418.59	8	575.83	8	733.03	8	890.23	8	1,046.96	8	1,153.96	8	1,321.96	8	1,478.96	8	1,634.96	8	1,791.56	8	1,949.56
1/4	106.12	1/4	264.04	1/4	421.87	1/4	579.10	1/4	736.30	1/4	893.50	1/4	1,050.22	1/4	1,156.22	1/4	1,324.22	1/4	1,481.22	1/4	1,637.22	1/4	1,793.80	1/4	1,951.80
1/2	109.41	1/2	267.33	1/2	425.16	1/2	582.38	1/2	739.58	1/2	896.78	1/2	1,053.48	1/2	1,158.48	1/2	1,326.48	1/2	1,483.48	1/2	1,639.48	1/2	1,795.92	1/2	1,953.92
3/4	112.70	3/4	270.62	3/4	428.44	3/4	585.65	3/4	742.85	3/4	900.05	3/4	1,056.75	3/4	1,160.75	3/4	1,328.75	3/4	1,485.75	3/4	1,641.75	3/4	1,797.96	3/4	1,955.96
9	115.99	9	273.91	9	431.73	9	588.93	9	746.13	9	903.33	9	1,060.01	9	1,162.01	9	1,330.01	9	1,487.01	9	1,643.01	9	1,799.96	9	1,957.96
1/4	119.28	1/4	277.20	1/4	435.00	1/4	592.20	1/4	749.40	1/4	906.60	1/4	1,063.27	1/4	1,164.27	1/4	1,332.27	1/4	1,489.27	1/4	1,645.27	1/4	1,801.92	1/4	1,959.92
1/2	122.57	1/2	280.49	1/2	438.28	1/2	595.48	1/2	752.68	1/2	909.88	1/2	1,066.53	1/2	1,166.53	1/2	1,334.53	1/2	1,491.53	1/2	1,647.53	1/2	1,804.04	1/2	1,961.04
3/4	125.86	3/4	283.78	3/4	441.55	3/4	598.75	3/4	755.95	3/4	913.15	3/4	1,069.79	3/4	1,168.79	3/4	1,336.79	3/4	1,493.79	3/4	1,649.79	3/4	1,806.56	3/4	1,963.56
10	129.15	10	287.07	10	444.83	10	602.03	10	759.23	10	916.43	10	1,073.06	10	1,170.06	10	1,339.06	10	1,496.06	10	1,651.06	10	1,809.06	10	1,965.06
1/4	132.44	1/4	290.36	1/4	448.10	1/4	605.30	1/4	762.50	1/4	919.70	1/4	1,076.32	1/4	1,172.32	1/4	1,341.32	1/4	1,498.32	1/4	1,653.32	1/4	1,811.32	1/4	1,967.32
1/2	135.73	1/2	293.65	1/2	451.38	1/2	608.58	1/2	765.78	1/2	922.98	1/2	1,079.58	1/2	1,174.58	1/2	1,343.58	1/2	1,500.58	1/2	1,655.58	1/2	1,813.58	1/2	1,969.58
3/4	139.02	3/4	296.94	3/4	454.65	3/4	611.85	3/4	769.05	3/4	926.25	3/4	1,082.84	3/4	1,176.84	3/4	1,345.84	3/4	1,502.84	3/4	1,657.84	3/4	1,815.84	3/4	1,971.84
11	142.31	11	300.23	11	457.93	11	615.13	11	772.33	11	929.53	11	1,086.10	11	1,179.10	11	1,348.10	11	1,505.10	11	1,660.10	11	1,818.10	11	1,974.10
1/4	145.60	1/4	303.52	1/4	461.20	1/4	618.40	1/4	775.60	1/4	932.79	1/4	1,089.39	1/4	1,181.39	1/4	1,350.39	1/4	1,507.39	1/4	1,662.39	1/4	1,820.39		