



ISO 9001: 2000

Barge "SMI-275" Settoon Towing, LLC INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS		PORT REFERENCE GAUGE HEIGHT : 8'-4 1/2" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)		STAR REFERENCE GAUGE HEIGHT : 8'-4 3/4" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)							
0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.
0	3.47	155.37	313.19	471.20	630.13	789.05	947.78	1103.47	1263.00	1423.47	1583.85
1/4	5.44	158.66	316.48	474.51	633.44	792.36	951.04	1108.46	1267.99	1428.46	1588.84
1/2	7.41	161.95	319.77	477.82	636.75	795.68	954.30	1111.72	1271.25	1431.72	1592.10
3/4	9.38	165.23	323.06	481.13	640.06	798.99	957.56	1115.00	1274.50	1435.00	1595.35
1	11.36	168.52	326.35	484.44	643.37	802.30	960.82	1118.28	1277.75	1438.25	1598.60
1/4	14.31	171.81	329.63	487.75	646.68	805.61	964.08	1121.56	1281.00	1441.50	1601.85
1/2	17.27	175.10	332.92	491.06	649.99	808.92	967.34	1124.84	1284.25	1444.75	1605.10
3/4	20.56	178.39	336.20	494.37	653.30	812.23	970.60	1128.12	1287.50	1448.00	1608.35
2	23.85	181.67	339.49	497.69	656.61	815.54	973.86	1131.40	1290.75	1451.25	1611.60
1/4	27.14	184.96	342.77	501.00	659.92	818.85	977.12	1134.68	1294.00	1454.50	1614.85
1/2	30.43	188.25	346.06	504.31	663.24	822.16	980.38	1137.96	1297.25	1457.75	1618.10
3/4	33.71	191.54	349.34	507.62	666.55	825.47	983.64	1141.24	1300.50	1461.00	1621.35
3	37.00	194.83	352.63	510.93	669.86	828.79	986.90	1144.52	1303.75	1464.25	1624.60
1/4	40.29	198.11	356.20	514.24	673.17	832.10	990.16	1147.80	1307.00	1467.50	1627.85
1/2	43.58	201.40	359.20	517.55	676.48	835.41	993.42	1151.08	1310.25	1470.75	1631.10
3/4	46.87	204.69	362.48	520.86	679.79	838.72	996.68	1154.36	1313.50	1474.00	1634.35
4	50.15	207.98	365.77	524.17	683.10	842.03	999.94	1157.64	1316.75	1477.25	1637.60
1/4	53.44	211.27	369.05	527.48	686.41	845.34	1003.20	1160.92	1320.00	1480.50	1640.85
1/2	56.73	214.55	372.34	530.80	689.72	848.65	1006.46	1164.20	1323.25	1483.75	1644.10
3/4	60.02	217.84	375.62	534.11	693.03	851.96	1009.72	1167.48	1326.50	1487.00	1647.35
5	63.31	221.13	378.91	537.42	696.35	855.27	1012.98	1170.76	1329.75	1490.25	1650.60
1/4	66.59	224.42	382.19	540.73	699.66	858.58	1016.24	1174.04	1333.00	1493.50	1653.85
1/2	69.88	227.71	385.48	544.04	702.97	861.90	1019.50	1177.32	1336.25	1496.75	1657.10
3/4	73.17	230.99	388.76	547.35	706.28	865.21	1022.76	1180.60	1339.50	1500.00	1660.35
6	76.46	234.28	392.05	550.66	709.59	868.52	1026.02	1183.88	1342.75	1503.25	1663.60
1/4	79.75	237.57	395.33	553.97	712.90	871.83	1029.28	1187.16	1346.00	1506.50	1666.85
1/2	83.03	240.86	398.62	557.28	716.21	875.14	1032.54	1190.44	1349.25	1509.75	1670.10
3/4	86.32	244.15	401.90	560.59	719.52	878.45	1035.80	1193.72	1352.50	1513.00	1673.35
7	89.61	247.43	405.19	563.91	722.83	881.76	1039.06	1196.99	1355.75	1516.25	1676.60
1/4	92.90	250.72	408.47	567.22	726.14	885.07	1042.32	1199.27	1359.00	1519.50	1679.85
1/2	96.18	254.01	411.76	570.53	729.46	888.38	1045.58	1202.54	1362.25	1522.75	1683.10
3/4	99.47	257.30	415.04	573.84	732.77	891.69	1048.84	1205.80	1365.50	1526.00	1686.35
8	102.76	260.59	418.33	577.15	736.08	895.01	1052.10	1209.06	1368.75	1529.25	1689.60
1/4	106.05	263.87	421.61	580.46	739.39	898.32	1055.36	1212.32	1372.00	1532.50	1692.85
1/2	109.34	267.16	424.90	583.77	742.70	901.63	1058.62	1215.58	1375.25	1535.75	1696.10
3/4	112.63	270.45	428.18	587.08	746.01	904.94	1061.88	1218.84	1378.50	1539.00	1699.35
9	115.91	273.74	431.47	590.39	749.32	908.25	1065.14	1222.10	1381.75	1542.25	1702.60
1/4	119.20	277.03	434.78	593.70	752.63	911.56	1068.40	1225.36	1385.00	1545.50	1705.85
1/2	122.49	280.31	438.09	597.02	755.94	914.87	1071.66	1228.62	1388.25	1548.75	1709.10
3/4	125.78	283.60	441.40	600.33	759.25	918.18	1074.92	1231.88	1391.50	1552.00	1712.35
10	129.07	286.89	444.71	603.64	762.57	921.49	1078.18	1235.14	1394.75	1555.25	1715.60
1/4	132.35	290.18	448.02	606.95	765.88	924.80	1081.44	1238.40	1398.00	1558.50	1718.85
1/2	135.64	293.47	451.33	610.26	769.19	928.12	1084.70	1241.66	1401.25	1561.75	1722.10
3/4	138.93	296.75	454.64	613.57	772.50	931.43	1087.96	1244.92	1404.50	1565.00	1725.35
11	142.22	300.04	457.95	616.88	775.81	934.74	1091.22	1248.18	1407.75	1568.25	1728.60
1/4	145.51	303.33	461.26	620.19	779.12	938.00	1094.48	1251.44	1411.00	1571.50	1731.85
1/2	148.79	306.62	464.58	623.50	782.43	941.26	1097.74	1254.70	1414.25	1574.75	1735.10
3/4	152.08	309.91	467.89	626.81	785.74	944.52	1100.98	1257.96	1417.50	1578.00	1738.35

* CAPACITY BELOW STRIKE POINT

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

PORT REFERENCE GAUGE HEIGHT : 8'-4 1/2" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT : 8'-4 3/4" (TO RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 9/07
REISSUED: 7/15

WE CERTIFY AN IN ACCORDANCE ARE TRUE AND

INSPECTORATE



Barge "SMI-275" Settoon Towing, LLC INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	
0	3.25	0	142.35	0	285.88	0	431.31	0	578.84	0	720.37	0	864.79	0	1,007.36	0		0		0				
1/4	5.05	1/4	145.38	1/4	289.89	1/4	434.32	1/4	578.85	1/4	723.38	1/4	867.78	1/4	1,010.09	1/4		1/4		1/4				
1/2	6.86	1/2	148.38	1/2	292.90	1/2	437.34	1/2	581.86	1/2	726.39	1/2	870.76	1/2	1,012.28	1/2		1/2		1/2				
3/4	8.67	3/4	151.39	3/4	295.91	3/4	440.35	3/4	584.87	3/4	729.40	3/4	873.75	3/4	1,014.47	3/4		3/4		3/4				
1	10.47	1	154.40	1	298.93	1	443.36	1	587.89	1	732.41	1	876.73	1	1,016.65	1		1		1				
1/4	13.18	1/4	157.41	1/4	301.93	1/4	446.37	1/4	590.90	1/4	735.42	1/4	879.72	1/4	1,018.85	1/4		1/4		1/4				
1/2	15.89	1/2	160.42	1/2	304.94	1/2	449.38	1/2	593.91	1/2	738.43	1/2	882.70	1/2	1,020.49	1/2		1/2		1/2				
3/4	18.90	3/4	163.43	3/4	307.95	3/4	452.39	3/4	596.82	3/4	741.45	3/4	885.69	3/4	1,022.14	3/4		3/4		3/4				
2	21.91	2	166.44	2	310.96	2	455.40	2	599.93	2	744.46	2	888.67	2	1,023.78	2		2		2				
1/4	24.92	1/4	169.45	1/4	313.97	1/4	458.41	1/4	602.94	1/4	747.47	1/4	891.66	1/4	1,025.42	1/4		1/4		1/4				
1/2	27.94	1/2	172.46	1/2	316.97	1/2	461.42	1/2	605.95	1/2	750.48	1/2	894.64	1/2	1,026.51	1/2		1/2		1/2				
3/4	30.95	3/4	175.47	3/4	319.98	3/4	464.43	3/4	608.96	3/4	753.49	3/4	897.63	3/4	1,027.61	3/4		3/4		3/4				
3	33.96	3	178.49	3	322.99	3	467.45	3	611.97	3	756.50	3	900.61	3	1,028.70	3		3		3				
1/4	36.97	1/4	181.50	1/4	326.00	1/4	470.46	1/4	614.98	1/4	759.51	1/4	903.60	1/4	1,029.80	1/4		1/4		1/4				
1/2	39.98	1/2	184.51	1/2	329.01	1/2	473.47	1/2	617.99	1/2	762.52	1/2	906.58	1/2	1,030.34	1/2		1/2		1/2				
3/4	42.99	3/4	187.52	3/4	332.01	3/4	476.48	3/4	621.01	3/4	765.53	3/4	909.57	3/4	1,030.89	3/4		3/4		3/4				
4	46.00	4	190.53	4	335.02	4	479.49	4	624.02	4	768.54	4	912.55	4	1,031.44	4		4		4				
1/4	49.01	1/4	193.54	1/4	338.03	1/4	482.50	1/4	627.03	1/4	771.56	1/4	915.54	1/4	1,031.98	1/4		1/4		1/4				
1/2	52.02	1/2	196.55	1/2	341.04	1/2	485.51	1/2	630.04	1/2	774.57	1/2	918.52	1/2	1,032.12	1/2		1/2		1/2				
3/4	55.03	3/4	199.56	3/4	344.05	3/4	488.52	3/4	633.05	3/4	777.58	3/4	921.51	3/4	1,032.26	3/4		3/4		3/4				
5	58.05	5	202.57	5	347.05	5	491.53	5	636.06	5	780.59	5	924.49	5		5		5		5				
1/4	61.06	1/4	205.58	1/4	350.06	1/4	494.54	1/4	639.07	1/4	783.60	1/4	927.48	1/4		1/4		1/4		1/4				
1/2	64.07	1/2	208.60	1/2	353.07	1/2	497.55	1/2	642.08	1/2	786.61	1/2	930.46	1/2		1/2		1/2		1/2				
3/4	67.08	3/4	211.61	3/4	356.08	3/4	500.57	3/4	645.09	3/4	789.62	3/4	933.45	3/4		3/4		3/4		3/4				
6	70.09	6	214.62	6	359.09	6	503.58	6	648.10	6	792.63	6	936.43	6		6		6		6				
1/4	73.10	1/4	217.63	1/4	362.09	1/4	506.59	1/4	651.12	1/4	795.64	1/4	939.42	1/4		1/4		1/4		1/4				
1/2	76.11	1/2	220.64	1/2	365.10	1/2	509.60	1/2	654.13	1/2	798.65	1/2	942.40	1/2		1/2		1/2		1/2				
3/4	79.12	3/4	223.65	3/4	368.11	3/4	512.61	3/4	657.14	3/4	801.67	3/4	945.39	3/4		3/4		3/4		3/4				
7	82.13	7	226.66	7	371.12	7	515.62	7	660.15	7	804.68	7	948.37	7		7		7		7				
1/4	85.14	1/4	229.67	1/4	374.13	1/4	518.63	1/4	663.16	1/4	807.69	1/4	951.36	1/4		1/4		1/4		1/4				
1/2	88.15	1/2	232.68	1/2	377.13	1/2	521.64	1/2	666.17	1/2	810.70	1/2	954.34	1/2		1/2		1/2		1/2				
3/4	91.17	3/4	235.69	3/4	380.14	3/4	524.65	3/4	669.18	3/4	813.71	3/4	957.33	3/4		3/4		3/4		3/4				
8	94.18	8	238.71	8	383.15	8	527.67	8	672.19	8	816.72	8	960.31	8		8		8		8				
1/4	97.19	1/4	241.72	1/4	386.16	1/4	530.68	1/4	675.20	1/4	819.73	1/4	963.30	1/4		1/4		1/4		1/4				
1/2	100.20	1/2	244.73	1/2	389.17	1/2	533.69	1/2	678.21	1/2	822.74	1/2	966.28	1/2		1/2		1/2		1/2				
3/4	103.21	3/4	247.74	3/4	392.17	3/4	536.70	3/4	681.23	3/4	825.75	3/4	969.27	3/4		3/4		3/4		3/4				
9	106.22	9	250.75	9	395.18	9	539.71	9	684.24	9	828.76	9	972.25	9		9		9		9				
1/4	109.23	1/4	253.76	1/4	398.19	1/4	542.72	1/4	687.25	1/4	831.78	1/4	975.24	1/4		1/4		1/4		1/4				
1/2	112.24	1/2	256.77	1/2	401.20	1/2	545.73	1/2	690.26	1/2	834.79	1/2	978.22	1/2		1/2		1/2		1/2				
3/4	115.25	3/4	259.78	3/4	404.21	3/4	548.74	3/4	693.27	3/4	837.80	3/4	981.21	3/4		3/4		3/4		3/4				
10	118.27	10	262.79	10	407.23	10	551.75	10	696.28	10	840.81	10	984.19	10		10		10		10				
1/4	121.28	1/4	265.80	1/4	410.24	1/4	554.76	1/4	699.29	1/4	843.82	1/4	987.18	1/4		1/4		1/4		1/4				
1/2	124.29	1/2	268.82	1/2	413.25	1/2	557.78	1/2	702.30	1/2	846.83	1/2	990.16	1/2		1/2		1/2		1/2				
3/4	127.30	3/4	271.83	3/4	416.26	3/4	560.79	3/4	705.31	3/4	849.84	3/4	993.15	3/4		3/4		3/4		3/4				
11	130.31	11	274.84	11	419.27	11	563.80	11	708.32	11	852.85	11	996.13	11		11		11		11				
1/4	133.32	1/4	277.85	1/4	422.28	1/4	566.81	1/4	711.34	1/4	855.84	1/4	999.14	1/4		1/4		1/4		1/4				
1/2	136.33	1/2	280.86	1/2	425.29	1/2	569.82	1/2	714.35	1/2	858.82	1/2	1,001.88	1/2		1/2		1/2		1/2				
3/4	139.34	3/4	283.87	3/4	428.30	3/4	572.83	3/4	717.36	3/4	861.81	3/4	1,004.82	3/4		3/4		3/4		3/4				

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT

PORT REFERENCE GAUGE HEIGHT : 8'-5 5/8" (TO RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

STAR REFERENCE GAUGE HEIGHT : 8'-6 1/4" (TO RIM OF 2" DIAMETER BALL VALVE
LOCATED NEAR CENTER OF TANK)

STRAPPED: 9
REISSUED: 7/1

WE CERTIFY #
IN ACCORDANCE
ARE TRUE AND
INSPECTORATE



Barge "SMI-275"
Settoon Towing, LLC
 INNAGE TABLE

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.			
N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I	N	I		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
1/4	5.43	1/4	158.74	1/4	316.66	1/4	474.19	1/4	631.66	1/4	789.22	1/4	946.76	1/4	1,104.28	1/4	1,261.81	1/4	1,419.34	1/4	1,576.87	1/4	1,734.40	1/4	1,891.93
1/2	7.40	1/2	162.03	1/2	319.95	1/2	477.46	1/2	634.93	1/2	791.19	1/2	948.02	1/2	1,104.52	1/2	1,261.01	1/2	1,417.50	1/2	1,574.00	1/2	1,730.49	1/2	1,886.98
3/4	9.37	3/4	165.32	3/4	323.24	3/4	480.73	3/4	637.60	3/4	794.45	3/4	951.28	3/4	1,108.11	3/4	1,264.60	3/4	1,421.09	3/4	1,577.58	3/4	1,734.07	3/4	1,890.56
1	11.35	1	168.61	1	328.53	1	484.27	1	640.86	1	797.77	1	954.54	1	1,111.41	1	1,268.28	1	1,425.15	1	1,582.02	1	1,737.90	1	1,893.77
1/4	14.31	1/4	171.90	1/4	329.81	1/4	489.27	1/4	646.40	1/4	803.00	1/4	959.81	1/4	1,116.64	1/4	1,273.51	1/4	1,430.38	1/4	1,587.25	1/4	1,743.12	1/4	1,898.99
1/2	17.27	1/2	176.19	1/2	333.10	1/2	490.53	1/2	649.57	1/2	804.28	1/2	961.07	1/2	1,119.84	1/2	1,276.71	1/2	1,433.58	1/2	1,590.45	1/2	1,746.32	1/2	1,902.19
3/4	20.56	3/4	178.48	3/4	336.39	3/4	493.80	3/4	652.84	3/4	807.53	3/4	963.33	3/4	1,123.07	3/4	1,280.19	3/4	1,436.94	3/4	1,593.81	3/4	1,749.59	3/4	1,905.46
2	23.85	2	181.77	2	339.68	2	497.07	2	656.11	2	810.80	2	966.62	2	1,126.40	2	1,283.51	2	1,440.35	2	1,597.18	2	1,753.14	2	1,908.01
1/4	27.14	1/4	185.06	1/4	342.96	1/4	500.34	1/4	659.40	1/4	814.07	1/4	970.35	1/4	1,129.73	1/4	1,286.84	1/4	1,443.70	1/4	1,600.51	1/4	1,756.69	1/4	1,911.44
1/2	30.43	1/2	188.35	1/2	346.25	1/2	503.61	1/2	662.69	1/2	817.34	1/2	973.64	1/2	1,133.07	1/2	1,290.17	1/2	1,447.05	1/2	1,603.82	1/2	1,760.02	1/2	1,914.77
3/4	33.72	3/4	191.64	3/4	349.54	3/4	506.87	3/4	665.94	3/4	820.60	3/4	976.93	3/4	1,136.40	3/4	1,293.50	3/4	1,450.40	3/4	1,607.15	3/4	1,763.36	3/4	1,918.10
3	37.01	3	194.93	3	352.82	3	510.14	3	669.19	3	823.87	3	980.64	3	1,139.73	3	1,296.83	3	1,453.75	3	1,610.50	3	1,766.65	3	1,921.55
1/4	40.30	1/4	198.22	1/4	356.11	1/4	513.41	1/4	672.48	1/4	827.14	1/4	983.90	1/4	1,143.06	1/4	1,300.16	1/4	1,457.10	1/4	1,613.85	1/4	1,769.95	1/4	1,924.90
1/2	43.59	1/2	201.51	1/2	359.40	1/2	516.68	1/2	675.74	1/2	830.41	1/2	987.16	1/2	1,146.40	1/2	1,303.49	1/2	1,460.44	1/2	1,617.19	1/2	1,773.20	1/2	1,928.35
3/4	46.88	3/4	204.80	3/4	362.68	3/4	519.95	3/4	679.01	3/4	833.68	3/4	990.43	3/4	1,149.73	3/4	1,306.82	3/4	1,463.79	3/4	1,620.54	3/4	1,776.55	3/4	1,931.70
4	50.17	4	208.09	4	365.97	4	523.21	4	682.26	4	836.94	4	993.69	4	1,150.06	4	1,309.15	4	1,467.13	4	1,623.88	4	1,779.80	4	1,935.05
1/4	53.46	1/4	211.38	1/4	369.26	1/4	526.48	1/4	685.51	1/4	840.21	1/4	996.95	1/4	1,153.39	1/4	1,312.48	1/4	1,470.52	1/4	1,627.21	1/4	1,783.05	1/4	1,938.36
1/2	56.75	1/2	214.67	1/2	372.55	1/2	529.75	1/2	688.76	1/2	843.48	1/2	999.20	1/2	1,156.72	1/2	1,315.81	1/2	1,473.96	1/2	1,630.54	1/2	1,786.30	1/2	1,941.71
3/4	60.04	3/4	217.96	3/4	375.83	3/4	533.02	3/4	692.01	3/4	846.75	3/4	1,003.47	3/4	1,160.05	3/4	1,319.14	3/4	1,477.39	3/4	1,633.87	3/4	1,789.64	3/4	1,945.06
5	63.33	5	221.25	5	379.12	5	536.29	5	695.26	5	850.02	5	1,006.74	5	1,163.47	5	1,322.47	5	1,480.82	5	1,637.20	5	1,792.99	5	1,948.31
1/4	66.62	1/4	224.54	1/4	382.41	1/4	539.55	1/4	698.51	1/4	853.28	1/4	1,010.00	1/4	1,166.80	1/4	1,325.80	1/4	1,484.15	1/4	1,640.53	1/4	1,796.24	1/4	1,951.62
1/2	69.91	1/2	227.83	1/2	385.69	1/2	542.82	1/2	701.76	1/2	856.55	1/2	1,013.26	1/2	1,170.13	1/2	1,329.13	1/2	1,487.48	1/2	1,643.86	1/2	1,800.58	1/2	1,954.97
3/4	73.20	3/4	231.12	3/4	388.88	3/4	546.09	3/4	705.01	3/4	859.82	3/4	1,016.52	3/4	1,173.46	3/4	1,332.46	3/4	1,490.81	3/4	1,647.19	3/4	1,803.92	3/4	1,958.26
6	76.49	6	234.41	6	392.27	6	549.36	6	708.22	6	863.09	6	1,019.78	6	1,176.79	6	1,335.79	6	1,494.14	6	1,650.52	6	1,807.23	6	1,961.55
1/4	79.78	1/4	237.70	1/4	395.55	1/4	552.63	1/4	711.43	1/4	866.36	1/4	1,023.05	1/4	1,180.12	1/4	1,339.12	1/4	1,497.47	1/4	1,653.85	1/4	1,810.56	1/4	1,964.84
1/2	83.07	1/2	240.99	1/2	398.84	1/2	555.89	1/2	714.68	1/2	869.63	1/2	1,026.32	1/2	1,183.45	1/2	1,342.45	1/2	1,500.80	1/2	1,657.18	1/2	1,813.85	1/2	1,968.13
3/4	86.36	3/4	244.28	3/4	402.13	3/4	559.16	3/4	717.93	3/4	872.89	3/4	1,029.57	3/4	1,186.78	3/4	1,345.78	3/4	1,504.13	3/4	1,660.51	3/4	1,817.10	3/4	1,971.42
7	89.65	7	247.57	7	405.42	7	562.43	7	721.18	7	876.16	7	1,032.83	7	1,189.11	7	1,349.11	7	1,507.46	7	1,663.84	7	1,820.43	7	1,974.75
1/4	92.94	1/4	250.86	1/4	408.70	1/4	565.70	1/4	724.43	1/4	879.43	1/4	1,036.09	1/4	1,192.44	1/4	1,352.44	1/4	1,510.79	1/4	1,667.17	1/4	1,823.76	1/4	1,978.08
1/2	96.23	1/2	254.15	1/2	411.99	1/2	568.97	1/2	727.68	1/2	882.70	1/2	1,039.36	1/2	1,195.77	1/2	1,355.77	1/2	1,514.12	1/2	1,670.50	1/2	1,827.09	1/2	1,981.39
3/4	99.52	3/4	257.44	3/4	415.28	3/4	572.23	3/4	730.93	3/4	885.96	3/4	1,042.62	3/4	1,199.10	3/4	1,359.10	3/4	1,517.45	3/4	1,673.83	3/4	1,830.42	3/4	1,984.72
8	102.81	8	260.73	8	418.56	8	575.50	8	734.18	8	889.23	8	1,045.88	8	1,202.43	8	1,362.43	8	1,520.78	8	1,677.16	8	1,833.75	8	1,988.05
1/4	106.10	1/4	264.02	1/4	421.85	1/4	578.77	1/4	737.43	1/4	892.50	1/4	1,049.14	1/4	1,205.76	1/4	1,365.76	1/4	1,524.11	1/4	1,680.49	1/4	1,837.08	1/4	1,991.34
1/2	109.39	1/2	267.31	1/2	425.14	1/2	582.04	1/2	740.68	1/2	895.77	1/2	1,052.40	1/2	1,209.09	1/2	1,369.09	1/2	1,527.44	1/2	1,683.82	1/2	1,840.41	1/2	1,994.67
3/4	112.68	3/4	270.60	3/4	428.42	3/4	585.29	3/4	743.93	3/4	899.04	3/4	1,055.67	3/4	1,212.42	3/4	1,372.42	3/4	1,530.78	3/4	1,687.15	3/4	1,843.74	3/4	1,997.92
9	115.97	9	273.89	9	431.71	9	588.57	9	747.18	9	902.30	9	1,058.93	9	1,215.75	9	1,375.75	9	1,534.11	9	1,690.48	9	1,847.07	9	2,001.21
1/4	119.26	1/4	277.18	1/4	434.98	1/4	591.84	1/4	750.43	1/4	905.57	1/4	1,062.19	1/4	1,219.08	1/4	1,379.08	1/4	1,537.44	1/4	1,693.81	1/4	1,850.34	1/4	2,004.50
1/2	122.55	1/2	280.47	1/2	438.25	1/2	595.11	1/2	753.68	1/2	908.84	1/2	1,065.45	1/2	1,222.41	1/2	1,382.41	1/2	1,540.79	1/2	1,697.14	1/2	1,853.67	1/2	2,007.79
3/4	125.84	3/4	283.76	3/4	441.51	3/4	598.38	3/4	756.93	3/4	912.11	3/4	1,068.71	3/4	1,225.74	3/4	1,385.74	3/4	1,544.12	3/4	1,700.47	3/4	1,856.99	3/4	2,011.04
10	129.13	10	287.05	10	444.78	10	601.65	10	760.18	10	915.38	10	1,071.98	10	1,229.07	10	1,389.07	10	1,547.47	10	1,703.80	10	1,860.32	10	2,014.37
1/4	132.42	1/4	290.34	1/4	448.05	1/4	604.92	1/4	763.43	1/4	918.64	1/4	1,075.24	1/4	1,232.40	1/4	1,392.40	1/4	1,550.80	1/4	1,707.13</				