



BARGE "SMI 30206"

ULLAGE TRIM TABLE

FORMERLY "GONSOULIN 106"

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
1 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-3/4	- 00-3/4	00-7/8	- 00-7/8
4 PORT	00-3/4	- 00-3/4	01-1/2	- 01-1/2	02-1/4	- 02-1/4	03-1/8	- 03-1/8	03-7/8	- 03-7/8	04-5/8	- 04-5/8
4 STBD	00-3/4	- 00-3/4	01-1/2	- 01-1/2	02-1/4	- 02-1/4	03-1/8	- 03-1/8	03-7/8	- 03-7/8	04-5/8	- 04-5/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/4"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 3/4"

LENGTH BETWEEN DRAFT MARKS: 257'-00"

April 30, 2012

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "SMI 30206"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0	3,640.26	0	3,367.19	0	3,093.99	0	2,820.73	0	2,547.46	0	2,274.20
1/4		1/4		1/4		1/4		1/4	3,634.57	1/4	3,361.50	1/4	3,088.30	1/4	2,815.03	1/4	2,541.77	1/4	2,268.51
1/2		1/2		1/2		1/2		1/2	3,628.89	1/2	3,355.82	1/2	3,082.61	1/2	2,809.34	1/2	2,536.07	1/2	2,262.81
3/4		3/4		3/4		3/4		3/4	3,878.57	3/4	3,623.20	3/4	3,350.13	3/4	3,076.91	3/4	2,803.64	3/4	2,257.12
1		1		1		1		1	3,875.72	1	3,617.51	1	3,344.44	1	3,071.22	1	2,797.95	1	2,524.69
1/4		1/4		1/4		1/4		1/4	3,871.92	1/4	3,611.82	1/4	3,338.75	1/4	3,065.53	1/4	2,792.26	1/4	2,519.00
1/2		1/2		1/2		1/2		1/2	3,868.13	1/2	3,606.13	1/2	3,333.06	1/2	3,059.83	1/2	2,786.56	1/2	2,513.30
3/4		3/4		3/4		3/4		3/4	3,864.33	3/4	3,600.44	3/4	3,327.37	3/4	3,054.14	3/4	2,780.87	3/4	2,234.34
2		2		2		2		2	3,860.53	2	3,594.75	2	3,321.68	2	3,048.45	2	2,775.18	2	2,501.92
1/4		1/4		1/4		1/4		1/4	3,855.78	1/4	3,589.06	1/4	3,315.99	1/4	3,042.75	1/4	2,769.49	1/4	2,496.23
1/2		1/2		1/2		1/2		1/2	3,851.04	1/2	3,583.37	1/2	3,310.31	1/2	3,037.06	1/2	2,763.79	1/2	2,490.53
3/4		3/4		3/4		3/4		3/4	3,846.29	3/4	3,577.68	3/4	3,304.62	3/4	3,031.36	3/4	2,758.10	3/4	2,484.84
3		3		3		3		3	3,841.54	3	3,571.99	3	3,298.93	3	3,025.67	3	2,752.41	3	2,479.15
1/4		1/4		1/4		1/4		1/4	3,836.14	1/4	3,566.30	1/4	3,293.24	1/4	3,019.98	1/4	2,746.72	1/4	2,473.45
1/2		1/2		1/2		1/2		1/2	3,830.74	1/2	3,560.62	1/2	3,287.55	1/2	3,014.28	1/2	2,741.02	1/2	2,467.76
3/4		3/4		3/4		3/4		3/4	3,825.34	3/4	3,554.93	3/4	3,281.86	3/4	3,008.59	3/4	2,735.33	3/4	2,462.06
4		4		4		4		4	3,819.94	4	3,549.24	4	3,276.17	4	3,002.90	4	2,729.64	4	2,456.37
1/4		1/4		1/4		1/4		1/4	3,814.36	1/4	3,543.55	1/4	3,270.48	1/4	2,997.21	1/4	2,723.95	1/4	2,450.68
1/2		1/2		1/2		1/2		1/2	3,808.78	1/2	3,537.86	1/2	3,264.78	1/2	2,991.51	1/2	2,718.25	1/2	2,444.98
3/4		3/4		3/4		3/4		3/4	3,803.20	3/4	3,532.17	3/4	3,259.09	3/4	2,985.82	3/4	2,712.56	3/4	2,439.29
5		5		5		5		5	3,797.62	5	3,526.48	5	3,253.39	5	2,980.13	5	2,706.87	5	2,433.60
1/4		1/4		1/4		1/4		1/4	3,792.04	1/4	3,520.79	1/4	3,247.70	1/4	2,974.44	1/4	2,701.17	1/4	2,427.91
1/2		1/2		1/2		1/2		1/2	3,786.47	1/2	3,515.11	1/2	3,242.01	1/2	2,968.74	1/2	2,695.48	1/2	2,422.21
3/4		3/4		3/4		3/4		3/4	3,780.89	3/4	3,509.42	3/4	3,236.31	3/4	2,963.05	3/4	2,689.78	3/4	2,416.52
6		6		6		6		6	3,775.31	6	3,503.73	6	3,230.62	6	2,957.36	6	2,684.09	6	2,410.83
1/4		1/4		1/4		1/4		1/4	3,769.73	1/4	3,498.04	1/4	3,224.93	1/4	2,951.67	1/4	2,678.40	1/4	2,405.14
1/2		1/2		1/2		1/2		1/2	3,764.15	1/2	3,492.35	1/2	3,219.24	1/2	2,945.97	1/2	2,672.70	1/2	2,399.44
3/4		3/4		3/4		3/4		3/4	3,758.57	3/4	3,486.66	3/4	3,213.54	3/4	2,940.28	3/4	2,667.01	3/4	2,393.75
7		7		7		7		7	3,752.99	7	3,480.97	7	3,207.85	7	2,934.59	7	2,661.32	7	2,388.06
1/4		1/4		1/4		1/4		1/4	3,747.41	1/4	3,475.28	1/4	3,202.16	1/4	2,928.89	1/4	2,655.63	1/4	2,382.37
1/2		1/2		1/2		1/2		1/2	3,741.84	1/2	3,469.60	1/2	3,196.47	1/2	2,923.20	1/2	2,649.93	1/2	2,376.67
3/4		3/4		3/4		3/4		3/4	3,736.26	3/4	3,463.91	3/4	3,190.77	3/4	2,917.50	3/4	2,644.24	3/4	2,370.98
8		8		8		8		8	3,730.68	8	3,458.22	8	3,185.08	8	2,911.81	8	2,638.55	8	2,365.29
1/4		1/4		1/4		1/4		1/4	3,725.10	1/4	3,452.53	1/4	3,179.39	1/4	2,906.12	1/4	2,632.86	1/4	2,359.59
1/2		1/2		1/2		1/2		1/2	3,719.52	1/2	3,446.84	1/2	3,173.70	1/2	2,900.42	1/2	2,627.16	1/2	2,353.90
3/4		3/4		3/4		3/4		3/4	3,713.94	3/4	3,441.15	3/4	3,168.00	3/4	2,894.73	3/4	2,621.47	3/4	2,348.20
9		9		9		9		9	3,708.36	9	3,435.46	9	3,162.31	9	2,889.04	9	2,615.78	9	2,342.51
1/4		1/4		1/4		1/4		1/4	3,702.71	1/4	3,429.77	1/4	3,156.62	1/4	2,883.35	1/4	2,610.09	1/4	2,336.82
1/2		1/2		1/2		1/2		1/2	3,697.07	1/2	3,424.09	1/2	3,150.92	1/2	2,877.65	1/2	2,604.39	1/2	2,331.12
3/4		3/4		3/4		3/4		3/4	3,691.42	3/4	3,418.40	3/4	3,145.23	3/4	2,871.96	3/4	2,598.70	3/4	2,325.43
10		10		10		10		10	3,685.77	10	3,412.71	10	3,139.53	10	2,866.27	10	2,593.01	10	2,319.74
1/4		1/4		1/4		1/4		1/4	3,680.08	1/4	3,407.02	1/4	3,133.84	1/4	2,860.58	1/4	2,587.31	1/4	2,314.05
1/2		1/2		1/2		1/2		1/2	3,674.40	1/2	3,401.33	1/2	3,128.15	1/2	2,854.88	1/2	2,581.62	1/2	2,308.35
3/4		3/4		3/4		3/4		3/4	3,668.71	3/4	3,395.64	3/4	3,122.45	3/4	2,849.19	3/4	2,575.92	3/4	2,302.66
11		11		11		11		11	3,663.02	11	3,389.95	11	3,116.76	11	2,843.50	11	2,570.23	11	2,296.97
1/4		1/4		1/4		1/4		1/4	3,657.33	1/4	3,384.26	1/4	3,111.07	1/4	2,837.81	1/4	2,564.54	1/4	2,291.28
1/2		1/2		1/2		1/2		1/2	3,651.64	1/2	3,378.57	1/2	3,105.38	1/2	2,832.11	1/2	2,558.84	1/2	2,285.58
3/4		3/4		3/4		3/4		3/4	3,645.95	3/4	3,372.88	3/4	3,099.68	3/4	2,826.42	3/4	2,553.15	3/4	2,279.89

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 35'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "SMI 30206"

1 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,000.84	0	1,727.38	0	1,453.92	0	1,180.46	0	907.03	0	634.76	0	371.97	0	113.45	0		0	
1/4	1,995.14	1/4	1,721.68	1/4	1,448.22	1/4	1,174.76	1/4	901.33	1/4	629.17	1/4	366.70	1/4	108.18	1/4		1/4	
1/2	1,989.44	1/2	1,715.98	1/2	1,442.52	1/2	1,169.06	1/2	895.64	1/2	623.58	1/2	361.42	1/2	102.90	1/2		1/2	
3/4	1,983.75	3/4	1,710.29	3/4	1,436.83	3/4	1,163.37	3/4	889.94	3/4	618.00	3/4	356.15	3/4	97.63	3/4		3/4	
1	1,978.05	1	1,704.59	1	1,431.13	1	1,157.67	1	884.25	1	612.41	1	350.88	1	92.36	1		1	
1/4	1,972.35	1/4	1,698.89	1/4	1,425.43	1/4	1,151.97	1/4	878.55	1/4	606.82	1/4	345.60	1/4	87.08	1/4		1/4	
1/2	1,966.66	1/2	1,693.20	1/2	1,419.73	1/2	1,146.27	1/2	872.86	1/2	601.23	1/2	340.33	1/2	81.81	1/2		1/2	
3/4	1,960.96	3/4	1,687.50	3/4	1,414.04	3/4	1,140.58	3/4	867.16	3/4	595.65	3/4	335.05	3/4	76.53	3/4		3/4	
2	1,955.27	2	1,681.81	2	1,408.34	2	1,134.88	2	861.47	2	590.06	2	329.78	2	71.26	2		2	
1/4	1,949.57	1/4	1,676.11	1/4	1,402.64	1/4	1,129.18	1/4	855.77	1/4	584.47	1/4	324.39	1/4	65.98	1/4		1/4	
1/2	1,943.87	1/2	1,670.41	1/2	1,396.95	1/2	1,123.49	1/2	850.07	1/2	578.88	1/2	319.00	1/2	60.71	1/2		1/2	
3/4	1,938.18	3/4	1,664.72	3/4	1,391.25	3/4	1,117.79	3/4	844.38	3/4	573.30	3/4	313.61	3/4	55.43	3/4		3/4	
3	1,932.48	3	1,659.02	3	1,385.56	3	1,112.10	3	838.68	3	567.71	3	308.22	3	50.16	3		3	
1/4	1,926.78	1/4	1,653.32	1/4	1,379.86	1/4	1,106.40	1/4	832.98	1/4	562.20	1/4	302.76	1/4	45.21	1/4		1/4	
1/2	1,921.08	1/2	1,647.62	1/2	1,374.16	1/2	1,100.70	1/2	827.29	1/2	556.68	1/2	297.30	1/2	40.27	1/2		1/2	
3/4	1,915.39	3/4	1,641.93	3/4	1,368.47	3/4	1,095.01	3/4	821.59	3/4	551.17	3/4	291.85	3/4	35.32	3/4		3/4	
4	1,909.69	4	1,636.23	4	1,362.77	4	1,089.31	4	815.90	4	545.66	4	286.39	4	30.38	4		4	
1/4	1,903.99	1/4	1,630.53	1/4	1,357.07	1/4	1,083.61	1/4	810.20	1/4	540.19	1/4	280.93	1/4	26.52	1/4		1/4	
1/2	1,898.29	1/2	1,624.83	1/2	1,351.37	1/2	1,077.91	1/2	804.51	1/2	534.72	1/2	275.47	1/2	22.67	1/2		1/2	
3/4	1,892.60	3/4	1,619.14	3/4	1,345.68	3/4	1,072.22	3/4	798.81	3/4	529.26	3/4	270.01	3/4	18.81	3/4		3/4	
5	1,886.90	5	1,613.44	5	1,339.98	5	1,066.52	5	793.12	5	523.79	5	264.55	5	14.96	5		5	
1/4	1,881.20	1/4	1,607.74	1/4	1,334.28	1/4	1,060.82	1/4	787.42	1/4	518.32	1/4	259.08	1/4	12.53	1/4		1/4	
1/2	1,875.50	1/2	1,602.04	1/2	1,328.58	1/2	1,055.12	1/2	781.73	1/2	512.85	1/2	253.62	1/2	10.09	1/2		1/2	
3/4	1,869.81	3/4	1,596.35	3/4	1,322.89	3/4	1,049.43	3/4	776.03	3/4	507.39	3/4	248.15	3/4	7.66	3/4		3/4	
6	1,864.11	6	1,590.65	6	1,317.19	6	1,043.73	6	770.34	6	501.92	6	242.69	6		6		6	
1/4	1,858.41	1/4	1,584.95	1/4	1,311.49	1/4	1,038.03	1/4	764.64	1/4	496.45	1/4	237.22	1/4		1/4		1/4	
1/2	1,852.71	1/2	1,579.25	1/2	1,305.79	1/2	1,032.33	1/2	758.95	1/2	490.99	1/2	231.75	1/2		1/2		1/2	
3/4	1,847.02	3/4	1,573.56	3/4	1,300.10	3/4	1,026.64	3/4	753.25	3/4	485.52	3/4	226.29	3/4		3/4		3/4	
7	1,841.32	7	1,567.86	7	1,294.40	7	1,020.94	7	747.56	7	480.06	7	220.82	7		7		7	
1/4	1,835.62	1/4	1,562.16	1/4	1,288.70	1/4	1,015.24	1/4	741.86	1/4	474.59	1/4	215.35	1/4		1/4		1/4	
1/2	1,829.93	1/2	1,556.47	1/2	1,283.00	1/2	1,009.54	1/2	736.16	1/2	469.12	1/2	209.89	1/2		1/2		1/2	
3/4	1,824.23	3/4	1,550.77	3/4	1,277.31	3/4	1,003.85	3/4	730.47	3/4	463.66	3/4	204.42	3/4		3/4		3/4	
8	1,818.54	8	1,545.08	8	1,271.61	8	998.15	8	724.77	8	458.19	8	198.96	8		8		8	
1/4	1,812.84	1/4	1,539.38	1/4	1,265.91	1/4	992.45	1/4	719.07	1/4	452.72	1/4	193.49	1/4		1/4		1/4	
1/2	1,807.14	1/2	1,533.68	1/2	1,260.22	1/2	986.76	1/2	713.37	1/2	447.25	1/2	188.02	1/2		1/2		1/2	
3/4	1,801.45	3/4	1,527.99	3/4	1,254.52	3/4	981.06	3/4	707.68	3/4	441.79	3/4	182.56	3/4		3/4		3/4	
9	1,795.75	9	1,522.29	9	1,248.83	9	975.37	9	701.98	9	436.32	9	177.09	9		9		9	
1/4	1,790.05	1/4	1,516.59	1/4	1,243.13	1/4	969.67	1/4	696.35	1/4	430.85	1/4	171.74	1/4		1/4		1/4	
1/2	1,784.35	1/2	1,510.89	1/2	1,237.43	1/2	963.98	1/2	690.72	1/2	425.39	1/2	166.39	1/2		1/2		1/2	
3/4	1,778.66	3/4	1,505.20	3/4	1,231.74	3/4	958.28	3/4	685.10	3/4	419.92	3/4	161.04	3/4		3/4		3/4	
10	1,772.96	10	1,499.50	10	1,226.04	10	952.59	10	679.47	10	414.46	10	155.69	10		10		10	
1/4	1,767.26	1/4	1,493.80	1/4	1,220.34	1/4	946.89	1/4	673.88	1/4	409.11	1/4	150.41	1/4		1/4		1/4	
1/2	1,761.56	1/2	1,488.10	1/2	1,214.64	1/2	941.20	1/2	668.29	1/2	403.76	1/2	145.12	1/2		1/2		1/2	
3/4	1,755.87	3/4	1,482.41	3/4	1,208.95	3/4	935.50	3/4	662.70	3/4	398.42	3/4	139.84	3/4		3/4		3/4	
11	1,750.17	11	1,476.71	11	1,203.25	11	929.81	11	657.11	11	393.07	11	134.56	11		11		11	
1/4	1,744.47	1/4	1,471.01	1/4	1,197.55	1/4	924.11	1/4	651.52	1/4	387.79	1/4	129.28	1/4		1/4		1/4	
1/2	1,738.77	1/2	1,465.31	1/2	1,191.85	1/2	918.42	1/2	645.93	1/2	382.52	1/2	124.00	1/2		1/2		1/2	
3/4	1,733.08	3/4	1,459.62	3/4	1,186.16	3/4	912.72	3/4	640.35	3/4	377.24	3/4	118.73	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "SMI 30206"

1 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,996.21	0	1,721.81	0	1,447.41	0	1,173.02	0	898.73	0	625.85	0	362.75	0	103.28	0		0	
1/4	1,990.49	1/4	1,716.10	1/4	1,441.70	1/4	1,167.30	1/4	893.02	1/4	620.25	1/4	357.45	1/4	97.99	1/4		1/4	
1/2	1,984.78	1/2	1,710.38	1/2	1,435.98	1/2	1,161.59	1/2	887.31	1/2	614.64	1/2	352.16	1/2	92.70	1/2		1/2	
3/4	1,979.06	3/4	1,704.66	3/4	1,430.26	3/4	1,155.87	3/4	881.60	3/4	609.03	3/4	346.87	3/4	87.41	3/4		3/4	
1	1,973.34	1	1,698.94	1	1,424.55	1	1,150.15	1	875.89	1	603.42	1	341.57	1	82.11	1		1	
1/4	1,967.63	1/4	1,693.23	1/4	1,418.83	1/4	1,144.44	1/4	870.18	1/4	597.82	1/4	336.28	1/4	76.82	1/4		1/4	
1/2	1,961.91	1/2	1,687.51	1/2	1,413.12	1/2	1,138.72	1/2	864.47	1/2	592.21	1/2	330.99	1/2	71.53	1/2		1/2	
3/4	1,956.19	3/4	1,681.79	3/4	1,407.40	3/4	1,133.00	3/4	858.76	3/4	586.60	3/4	325.58	3/4	66.23	3/4		3/4	
2	1,950.47	2	1,676.08	2	1,401.68	2	1,127.28	2	853.05	2	580.99	2	320.17	2	60.94	2		2	
1/4	1,944.76	1/4	1,670.36	1/4	1,395.97	1/4	1,121.57	1/4	847.34	1/4	575.39	1/4	314.76	1/4	55.64	1/4		1/4	
1/2	1,939.04	1/2	1,664.65	1/2	1,390.25	1/2	1,115.85	1/2	841.63	1/2	569.78	1/2	309.35	1/2	50.35	1/2		1/2	
3/4	1,933.32	3/4	1,658.93	3/4	1,384.53	3/4	1,110.13	3/4	835.92	3/4	564.25	3/4	303.87	3/4	45.39	3/4		3/4	
3	1,927.61	3	1,653.21	3	1,378.81	3	1,104.42	3	830.20	3	558.71	3	298.39	3	40.42	3		3	
1/4	1,921.89	1/4	1,647.50	1/4	1,373.10	1/4	1,098.70	1/4	824.49	1/4	553.18	1/4	292.92	1/4	35.46	1/4		1/4	
1/2	1,916.18	1/2	1,641.78	1/2	1,367.38	1/2	1,092.99	1/2	818.78	1/2	547.65	1/2	287.44	1/2	30.50	1/2		1/2	
3/4	1,910.46	3/4	1,636.06	3/4	1,361.66	3/4	1,087.27	3/4	813.07	3/4	542.16	3/4	281.96	3/4	26.63	3/4		3/4	
4	1,904.74	4	1,630.34	4	1,355.95	4	1,081.55	4	807.36	4	536.67	4	276.48	4	22.75	4		4	
1/4	1,899.03	1/4	1,624.63	1/4	1,350.23	1/4	1,075.84	1/4	801.65	1/4	531.19	1/4	271.00	1/4	18.88	1/4		1/4	
1/2	1,893.31	1/2	1,618.91	1/2	1,344.52	1/2	1,070.12	1/2	795.94	1/2	525.70	1/2	265.52	1/2	15.01	1/2		1/2	
3/4	1,887.59	3/4	1,613.19	3/4	1,338.80	3/4	1,064.40	3/4	790.23	3/4	520.21	3/4	260.04	3/4	12.57	3/4		3/4	
5	1,881.87	5	1,607.48	5	1,333.08	5	1,058.68	5	784.52	5	514.73	5	254.55	5	10.13	5		5	
1/4	1,876.16	1/4	1,601.76	1/4	1,327.37	1/4	1,052.97	1/4	778.81	1/4	509.24	1/4	249.07	1/4	7.69	1/4		1/4	
1/2	1,870.44	1/2	1,596.05	1/2	1,321.65	1/2	1,047.25	1/2	773.10	1/2	503.76	1/2	243.59	1/2		1/2		1/2	
3/4	1,864.72	3/4	1,590.33	3/4	1,315.93	3/4	1,041.53	3/4	767.39	3/4	498.27	3/4	238.10	3/4		3/4		3/4	
6	1,859.01	6	1,584.61	6	1,310.21	6	1,035.82	6	761.67	6	492.78	6	232.61	6	6	6		6	
1/4	1,853.29	1/4	1,578.90	1/4	1,304.50	1/4	1,030.10	1/4	755.96	1/4	487.30	1/4	227.13	1/4		1/4		1/4	
1/2	1,847.58	1/2	1,573.18	1/2	1,298.78	1/2	1,024.39	1/2	750.25	1/2	481.81	1/2	221.64	1/2		1/2		1/2	
3/4	1,841.86	3/4	1,567.46	3/4	1,293.06	3/4	1,018.67	3/4	744.53	3/4	476.32	3/4	216.15	3/4		3/4		3/4	
7	1,836.14	7	1,561.75	7	1,287.35	7	1,012.96	7	738.82	7	470.84	7	210.66	7	7	7		7	
1/4	1,830.43	1/4	1,556.03	1/4	1,281.63	1/4	1,007.24	1/4	733.10	1/4	465.35	1/4	205.18	1/4		1/4		1/4	
1/2	1,824.71	1/2	1,550.32	1/2	1,275.92	1/2	1,001.53	1/2	727.39	1/2	459.87	1/2	199.69	1/2		1/2		1/2	
3/4	1,818.99	3/4	1,544.60	3/4	1,270.20	3/4	995.82	3/4	721.67	3/4	454.38	3/4	194.20	3/4		3/4		3/4	
8	1,813.28	8	1,538.88	8	1,264.48	8	990.10	8	715.95	8	448.89	8	188.72	8	8	8		8	
1/4	1,807.56	1/4	1,533.17	1/4	1,258.77	1/4	984.39	1/4	710.24	1/4	443.41	1/4	183.23	1/4		1/4		1/4	
1/2	1,801.85	1/2	1,527.45	1/2	1,253.05	1/2	978.68	1/2	704.52	1/2	437.92	1/2	177.75	1/2		1/2		1/2	
3/4	1,796.13	3/4	1,521.73	3/4	1,247.33	3/4	972.97	3/4	698.87	3/4	432.43	3/4	172.38	3/4		3/4		3/4	
9	1,790.41	9	1,516.01	9	1,241.62	9	967.26	9	693.22	9	426.95	9	167.00	9	9	9		9	
1/4	1,784.70	1/4	1,510.30	1/4	1,235.90	1/4	961.55	1/4	687.58	1/4	421.46	1/4	161.63	1/4		1/4		1/4	
1/2	1,778.98	1/2	1,504.58	1/2	1,230.19	1/2	955.84	1/2	681.93	1/2	415.98	1/2	156.26	1/2		1/2		1/2	
3/4	1,773.26	3/4	1,498.86	3/4	1,224.47	3/4	950.13	3/4	676.32	3/4	410.61	3/4	150.96	3/4		3/4		3/4	
10	1,767.54	10	1,493.15	10	1,218.75	10	944.42	10	670.71	10	405.24	10	145.66	10	10	10		10	
1/4	1,761.83	1/4	1,487.43	1/4	1,213.04	1/4	938.71	1/4	665.11	1/4	399.88	1/4	140.36	1/4		1/4		1/4	
1/2	1,756.11	1/2	1,481.72	1/2	1,207.32	1/2	933.00	1/2	659.50	1/2	394.51	1/2	135.06	1/2		1/2		1/2	
3/4	1,750.39	3/4	1,476.00	3/4	1,201.60	3/4	927.29	3/4	653.89	3/4	389.22	3/4	129.76	3/4		3/4		3/4	
11	1,744.68	11	1,470.28	11	1,195.88	11	921.58	11	648.28	11	383.92	11	124.46	11	11	11		11	
1/4	1,738.96	1/4	1,464.57	1/4	1,190.17	1/4	915.87	1/4	642.68	1/4	378.63	1/4	119.17	1/4		1/4		1/4	
1/2	1,733.25	1/2	1,458.85	1/2	1,184.45	1/2	910.16	1/2	637.07	1/2	373.34	1/2	113.87	1/2		1/2		1/2	
3/4	1,727.53	3/4	1,453.13	3/4	1,178.73	3/4	904.45	3/4	631.46	3/4	368.04	3/4	108.58	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "SMI 30206"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	3,643.51	0	3,371.24	0	3,100.24	0	2,827.77	0	2,555.29	0	2,282.82		
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,637.84	1/4	3,365.57	1/4	3,094.56	1/4	2,822.09	1/4	2,549.62	1/4	2,277.15		
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,632.17	1/2	3,359.89	1/2	3,088.88	1/2	2,816.41	1/2	2,543.94	1/2	2,271.47		
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,881.12	3/4	3,626.49	3/4	3,354.22	3/4	3,083.21	3/4	2,810.74	3/4	2,538.27	3/4	2,265.80
1		1		1		1	3,878.28	1	3,620.82	1	3,348.55	1	3,077.53	1	2,805.06	1	2,532.59	1	2,260.12
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,874.49	1/4	3,615.15	1/4	3,342.88	1/4	3,071.85	1/4	2,799.38	1/4	2,526.91	1/4	2,254.44
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,870.71	1/2	3,609.48	1/2	3,337.20	1/2	3,066.18	1/2	2,793.70	1/2	2,521.24	1/2	2,248.77
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,866.92	3/4	3,603.80	3/4	3,331.53	3/4	3,060.50	3/4	2,788.03	3/4	2,515.56	3/4	2,243.09
2		2		2		2	3,863.13	2	3,598.13	2	3,325.86	2	3,054.83	2	2,782.35	2	2,509.88	2	2,237.41
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,858.40	1/4	3,592.46	1/4	3,320.19	1/4	3,049.15	1/4	2,776.67	1/4	2,504.21	1/4	2,231.73
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,853.67	1/2	3,586.79	1/2	3,314.51	1/2	3,043.47	1/2	2,771.00	1/2	2,498.53	1/2	2,226.05
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,848.93	3/4	3,581.11	3/4	3,308.84	3/4	3,037.80	3/4	2,765.32	3/4	2,492.86	3/4	2,220.37
3		3		3		3	3,844.20	3	3,575.44	3	3,303.17	3	3,032.12	3	2,759.65	3	2,487.18	3	2,214.69
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,838.82	1/4	3,569.77	1/4	3,297.55	1/4	3,026.44	1/4	2,753.97	1/4	2,481.50	1/4	2,209.01
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,833.43	1/2	3,564.10	1/2	3,291.93	1/2	3,020.76	1/2	2,748.29	1/2	2,475.83	1/2	2,203.34
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,828.05	3/4	3,558.42	3/4	3,286.31	3/4	3,015.09	3/4	2,742.62	3/4	2,470.15	3/4	2,197.66
4		4		4		4	3,822.66	4	3,552.75	4	3,280.69	4	3,009.41	4	2,736.94	4	2,464.47	4	2,191.98
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,817.10	1/4	3,547.08	1/4	3,275.10	1/4	3,003.73	1/4	2,731.26	1/4	2,458.79	1/4	2,186.30
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,811.54	1/2	3,541.41	1/2	3,269.51	1/2	2,998.06	1/2	2,725.59	1/2	2,453.12	1/2	2,180.63
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,805.97	3/4	3,535.73	3/4	3,263.93	3/4	2,992.38	3/4	2,719.91	3/4	2,447.44	3/4	2,174.95
5		5		5		5	3,800.41	5	3,530.06	5	3,258.34	5	2,986.71	5	2,714.24	5	2,441.76	5	2,169.27
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,794.85	1/4	3,524.39	1/4	3,252.75	1/4	2,981.03	1/4	2,708.56	1/4	2,436.09	1/4	2,163.59
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,789.29	1/2	3,518.72	1/2	3,247.16	1/2	2,975.35	1/2	2,702.88	1/2	2,430.41	1/2	2,157.92
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,783.72	3/4	3,513.05	3/4	3,241.58	3/4	2,969.68	3/4	2,697.21	3/4	2,424.74	3/4	2,152.24
6		6		6		6	3,778.16	6	3,507.38	6	3,235.99	6	2,964.00	6	2,691.53	6	2,419.06	6	2,146.56
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,772.60	1/4	3,501.71	1/4	3,230.40	1/4	2,958.32	1/4	2,685.85	1/4	2,413.38	1/4	2,140.88
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,767.04	1/2	3,496.03	1/2	3,224.81	1/2	2,952.65	1/2	2,680.17	1/2	2,407.71	1/2	2,135.20
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,761.48	3/4	3,490.36	3/4	3,219.22	3/4	2,946.97	3/4	2,674.50	3/4	2,402.03	3/4	2,129.52
7		7		7		7	3,755.92	7	3,484.69	7	3,213.63	7	2,941.30	7	2,668.82	7	2,396.35	7	2,123.84
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,750.36	1/4	3,479.02	1/4	3,207.99	1/4	2,935.62	1/4	2,663.14	1/4	2,390.68	1/4	2,118.16
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,744.80	1/2	3,473.34	1/2	3,202.34	1/2	2,929.94	1/2	2,657.47	1/2	2,385.00	1/2	2,112.49
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,739.23	3/4	3,467.67	3/4	3,196.70	3/4	2,924.27	3/4	2,651.79	3/4	2,379.33	3/4	2,106.81
8		8		8		8	3,733.67	8	3,462.00	8	3,191.06	8	2,918.59	8	2,646.12	8	2,373.65	8	2,101.13
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,728.11	1/4	3,456.33	1/4	3,185.38	1/4	2,912.91	1/4	2,640.44	1/4	2,367.97	1/4	2,095.45
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,722.55	1/2	3,450.65	1/2	3,179.71	1/2	2,907.23	1/2	2,634.76	1/2	2,362.30	1/2	2,089.78
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,716.98	3/4	3,444.98	3/4	3,174.03	3/4	2,901.56	3/4	2,629.09	3/4	2,356.62	3/4	2,084.10
9		9		9		9	3,711.42	9	3,439.31	9	3,168.36	9	2,895.88	9	2,623.41	9	2,350.94	9	2,078.42
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,705.79	1/4	3,433.64	1/4	3,162.68	1/4	2,890.20	1/4	2,617.74	1/4	2,345.26	1/4	2,072.74
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,700.16	1/2	3,427.96	1/2	3,157.00	1/2	2,884.53	1/2	2,612.06	1/2	2,339.59	1/2	2,067.06
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,694.52	3/4	3,422.29	3/4	3,151.33	3/4	2,878.85	3/4	2,606.38	3/4	2,333.91	3/4	2,061.38
10		10		10		10	3,688.89	10	3,416.62	10	3,145.65	10	2,873.18	10	2,600.71	10	2,328.23	10	2,055.70
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,683.22	1/4	3,410.95	1/4	3,139.97	1/4	2,867.50	1/4	2,595.03	1/4	2,322.56	1/4	2,050.02
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,677.55	1/2	3,405.27	1/2	3,134.29	1/2	2,861.82	1/2	2,589.36	1/2	2,316.88	1/2	2,044.34
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,671.87	3/4	3,399.60	3/4	3,128.62	3/4	2,856.15	3/4	2,583.68	3/4	2,311.21	3/4	2,038.66
11		11		11		11	3,666.20	11	3,393.93	11	3,122.94	11	2,850.47	11	2,578.00	11	2,305.53	11	2,032.98
1/4	1/4	1/4	1/4	1/4	1/4	1/4	3,660.53	1/4	3,388.26	1/4	3,117.26	1/4	2,844.79	1/4	2,572.32	1/4	2,299.85	1/4	2,027.30
1/2	1/2	1/2	1/2	1/2	1/2	1/2	3,654.86	1/2	3,382.58	1/2	3,111.59	1/2	2,839.12	1/2	2,566.65	1/2	2,294.18	1/2	2,021.62
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3,649.18	3/4	3,376.91	3/4	3,105.91	3/4	2,833.44	3/4	2,560.97	3/4	2,288.50	3/4	2,015.93

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
 CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT
 CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
 GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 35'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "SMI 30206"

2 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 3/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	2,010.25	0	1,737.58	0	1,464.92	0	1,192.25	0	919.60	0	647.99	0	381.21	0	117.05	0		0	
1/4	2,004.57	1/4	1,731.90	1/4	1,459.24	1/4	1,186.57	1/4	913.92	1/4	642.41	1/4	375.82	1/4	111.66	1/4		1/4	
1/2	1,998.89	1/2	1,726.22	1/2	1,453.56	1/2	1,180.89	1/2	908.25	1/2	636.83	1/2	370.43	1/2	106.27	1/2		1/2	
3/4	1,993.21	3/4	1,720.54	3/4	1,447.87	3/4	1,175.20	3/4	902.57	3/4	631.24	3/4	365.03	3/4	100.87	3/4		3/4	
1	1,987.53	1	1,714.86	1	1,442.19	1	1,169.52	1	896.89	1	625.66	1	359.64	1	95.48	1		1	
1/4	1,981.85	1/4	1,709.18	1/4	1,436.51	1/4	1,163.84	1/4	891.21	1/4	620.08	1/4	354.25	1/4	90.09	1/4		1/4	
1/2	1,976.17	1/2	1,703.50	1/2	1,430.83	1/2	1,158.16	1/2	885.53	1/2	614.49	1/2	348.86	1/2	84.70	1/2		1/2	
3/4	1,970.49	3/4	1,697.82	3/4	1,425.15	3/4	1,152.48	3/4	879.85	3/4	608.91	3/4	343.47	3/4	79.31	3/4		3/4	
2	1,964.81	2	1,692.14	2	1,419.47	2	1,146.80	2	874.17	2	603.32	2	338.08	2	73.92	2		2	
1/4	1,959.13	1/4	1,686.46	1/4	1,413.79	1/4	1,141.12	1/4	868.49	1/4	597.74	1/4	332.57	1/4	68.53	1/4		1/4	
1/2	1,953.45	1/2	1,680.78	1/2	1,408.11	1/2	1,135.44	1/2	862.82	1/2	592.15	1/2	327.07	1/2	63.14	1/2		1/2	
3/4	1,947.77	3/4	1,675.10	3/4	1,402.43	3/4	1,129.76	3/4	857.14	3/4	586.57	3/4	321.56	3/4	57.74	3/4		3/4	
3	1,942.09	3	1,669.42	3	1,396.75	3	1,124.08	3	851.46	3	580.98	3	316.05	3	52.35	3		3	
1/4	1,936.41	1/4	1,663.74	1/4	1,391.07	1/4	1,118.40	1/4	845.78	1/4	575.40	1/4	310.47	1/4	47.29	1/4		1/4	
1/2	1,930.73	1/2	1,658.06	1/2	1,385.39	1/2	1,112.72	1/2	840.10	1/2	569.82	1/2	304.90	1/2	42.23	1/2		1/2	
3/4	1,925.04	3/4	1,652.38	3/4	1,379.71	3/4	1,107.04	3/4	834.42	3/4	564.23	3/4	299.32	3/4	37.16	3/4		3/4	
4	1,919.36	4	1,646.70	4	1,374.03	4	1,101.36	4	828.74	4	558.65	4	293.74	4	32.10	4		4	
1/4	1,913.68	1/4	1,641.02	1/4	1,368.35	1/4	1,095.68	1/4	823.06	1/4	553.07	1/4	288.16	1/4	28.12	1/4		1/4	
1/2	1,908.00	1/2	1,635.34	1/2	1,362.67	1/2	1,090.00	1/2	817.39	1/2	547.48	1/2	282.59	1/2	24.14	1/2		1/2	
3/4	1,902.32	3/4	1,629.65	3/4	1,356.98	3/4	1,084.32	3/4	811.71	3/4	541.90	3/4	277.01	3/4	20.16	3/4		3/4	
5	1,896.64	5	1,623.97	5	1,351.30	5	1,078.64	5	806.03	5	536.31	5	271.43	5	16.18	5		5	
1/4	1,890.96	1/4	1,618.29	1/4	1,345.62	1/4	1,072.96	1/4	800.35	1/4	530.73	1/4	265.85	1/4	13.62	1/4		1/4	
1/2	1,885.28	1/2	1,612.61	1/2	1,339.94	1/2	1,067.28	1/2	794.67	1/2	525.14	1/2	260.27	1/2	11.07	1/2		1/2	
3/4	1,879.60	3/4	1,606.93	3/4	1,334.26	3/4	1,061.59	3/4	788.99	3/4	519.56	3/4	254.69	3/4	8.50	3/4		3/4	
6	1,873.92	6	1,601.25	6	1,328.58	6	1,055.91	6	783.31	6	513.97	6	249.11	6		6		6	
1/4	1,868.24	1/4	1,595.57	1/4	1,322.90	1/4	1,050.23	1/4	777.63	1/4	508.39	1/4	243.53	1/4		1/4		1/4	
1/2	1,862.56	1/2	1,589.89	1/2	1,317.22	1/2	1,044.55	1/2	771.95	1/2	502.81	1/2	237.94	1/2		1/2		1/2	
3/4	1,856.88	3/4	1,584.21	3/4	1,311.54	3/4	1,038.87	3/4	766.27	3/4	497.22	3/4	232.36	3/4		3/4		3/4	
7	1,851.20	7	1,578.53	7	1,305.86	7	1,033.19	7	760.59	7	491.64	7	226.77	7		7		7	
1/4	1,845.52	1/4	1,572.85	1/4	1,300.18	1/4	1,027.51	1/4	754.91	1/4	486.06	1/4	221.19	1/4		1/4		1/4	
1/2	1,839.84	1/2	1,567.17	1/2	1,294.50	1/2	1,021.83	1/2	749.23	1/2	480.47	1/2	215.60	1/2		1/2		1/2	
3/4	1,834.15	3/4	1,561.49	3/4	1,288.82	3/4	1,016.15	3/4	743.55	3/4	474.89	3/4	210.02	3/4		3/4		3/4	
8	1,828.47	8	1,555.81	8	1,283.14	8	1,010.47	8	737.87	8	469.30	8	204.43	8		8		8	
1/4	1,822.79	1/4	1,550.13	1/4	1,277.46	1/4	1,004.79	1/4	732.19	1/4	463.72	1/4	198.85	1/4		1/4		1/4	
1/2	1,817.11	1/2	1,544.45	1/2	1,271.78	1/2	999.11	1/2	726.51	1/2	458.13	1/2	193.26	1/2		1/2		1/2	
3/4	1,811.43	3/4	1,538.76	3/4	1,266.09	3/4	993.43	3/4	720.83	3/4	452.55	3/4	187.68	3/4		3/4		3/4	
9	1,805.75	9	1,533.08	9	1,260.41	9	987.75	9	715.15	9	446.96	9	182.09	9		9		9	
1/4	1,800.07	1/4	1,527.40	1/4	1,254.73	1/4	982.07	1/4	709.53	1/4	441.38	1/4	176.62	1/4		1/4		1/4	
1/2	1,794.39	1/2	1,521.72	1/2	1,249.05	1/2	976.39	1/2	703.91	1/2	435.80	1/2	171.16	1/2		1/2		1/2	
3/4	1,788.71	3/4	1,516.04	3/4	1,243.37	3/4	970.71	3/4	698.29	3/4	430.21	3/4	165.69	3/4		3/4		3/4	
10	1,783.03	10	1,510.36	10	1,237.69	10	965.03	10	692.67	10	424.63	10	160.22	10		10		10	
1/4	1,777.35	1/4	1,504.68	1/4	1,232.01	1/4	959.35	1/4	687.09	1/4	419.17	1/4	154.82	1/4		1/4		1/4	
1/2	1,771.67	1/2	1,499.00	1/2	1,226.33	1/2	953.68	1/2	681.50	1/2	413.70	1/2	149.42	1/2		1/2		1/2	
3/4	1,765.99	3/4	1,493.32	3/4	1,220.65	3/4	948.00	3/4	675.92	3/4	408.24	3/4	144.02	3/4		3/4		3/4	
11	1,760.31	11	1,487.64	11	1,214.97	11	942.32	11	670.33	11	402.77	11	138.62	11		11		11	
1/4	1,754.63	1/4	1,481.96	1/4	1,209.29	1/4	936.64	1/4	664.75	1/4	397.38	1/4	133.23	1/4		1/4		1/4	
1/2	1,748.95	1/2	1,476.28	1/2	1,203.61	1/2	930.96	1/2	659.16	1/2	391.99	1/2	127.84	1/2		1/2		1/2	
3/4	1,743.26	3/4	1,470.60	3/4	1,197.93	3/4	925.28	3/4	653.58	3/4	386.60	3/4	122.44	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "SMI 30206"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 1/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0		0		0		0		0		0		0		0		0		0	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
1		1		1		1		1		1		1		1		1		1	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
2		2		2		2		2		2		2		2		2		2	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
3		3		3		3		3		3		3		3		3		3	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
4		4		4		4		4		4		4		4		4		4	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
5		5		5		5		5		5		5		5		5		5	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
6		6		6		6		6		6		6		6		6		6	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
7		7		7		7		7		7		7		7		7		7	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
8		8		8		8		8		8		8		8		8		8	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
9		9		9		9		9		9		9		9		9		9	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
10		10		10		10		10		10		10		10		10		10	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	
11		11		11		11		11		11		11		11		11		11	
1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 35'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "SMI 30206"

2 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 1/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	1,992.63	0	1,720.66	0	1,448.70	0	1,176.74	0	905.25	0	635.12	0	369.43	0	105.98	0		0	
1/4	1,986.96	1/4	1,715.00	1/4	1,443.04	1/4	1,171.07	1/4	899.60	1/4	629.55	1/4	364.06	1/4	100.60	1/4		1/4	
1/2	1,981.29	1/2	1,709.33	1/2	1,437.37	1/2	1,165.40	1/2	893.96	1/2	623.98	1/2	358.68	1/2	95.22	1/2		1/2	
3/4	1,975.63	3/4	1,703.67	3/4	1,431.70	3/4	1,159.74	3/4	888.32	3/4	618.41	3/4	353.30	3/4	89.85	3/4		3/4	
1	1,969.96	1	1,698.00	1	1,426.04	1	1,154.07	1	882.68	1	612.84	1	347.93	1	84.47	1		1	
1/4	1,964.30	1/4	1,692.34	1/4	1,420.37	1/4	1,148.41	1/4	877.03	1/4	607.27	1/4	342.55	1/4	79.10	1/4		1/4	
1/2	1,958.63	1/2	1,686.67	1/2	1,414.70	1/2	1,142.74	1/2	871.39	1/2	601.70	1/2	337.17	1/2	73.72	1/2		1/2	
3/4	1,952.97	3/4	1,681.00	3/4	1,409.04	3/4	1,137.08	3/4	865.75	3/4	596.13	3/4	331.68	3/4	68.34	3/4		3/4	
2	1,947.30	2	1,675.34	2	1,403.37	2	1,131.41	2	860.11	2	590.57	2	326.19	2	62.97	2		2	
1/4	1,941.64	1/4	1,669.67	1/4	1,397.71	1/4	1,125.75	1/4	854.46	1/4	585.00	1/4	320.69	1/4	57.59	1/4		1/4	
1/2	1,935.97	1/2	1,664.00	1/2	1,392.04	1/2	1,120.08	1/2	848.82	1/2	579.43	1/2	315.20	1/2	52.21	1/2		1/2	
3/4	1,930.30	3/4	1,658.34	3/4	1,386.38	3/4	1,114.41	3/4	843.18	3/4	573.86	3/4	309.64	3/4	47.16	3/4		3/4	
3	1,924.64	3	1,652.67	3	1,380.71	3	1,108.75	3	837.54	3	568.29	3	304.08	3	42.11	3		3	
1/4	1,918.97	1/4	1,647.01	1/4	1,375.05	1/4	1,103.08	1/4	831.89	1/4	562.72	1/4	298.51	1/4	37.06	1/4		1/4	
1/2	1,913.30	1/2	1,641.34	1/2	1,369.38	1/2	1,097.41	1/2	826.25	1/2	557.15	1/2	292.95	1/2	32.01	1/2		1/2	
3/4	1,907.64	3/4	1,635.68	3/4	1,363.71	3/4	1,091.75	3/4	820.61	3/4	551.58	3/4	287.39	3/4	28.04	3/4		3/4	
4	1,901.97	4	1,630.01	4	1,358.05	4	1,086.08	4	814.97	4	546.01	4	281.83	4	24.08	4		4	
1/4	1,896.31	1/4	1,624.35	1/4	1,352.38	1/4	1,080.42	1/4	809.32	1/4	540.44	1/4	276.26	1/4	20.11	1/4		1/4	
1/2	1,890.64	1/2	1,618.68	1/2	1,346.71	1/2	1,074.75	1/2	803.68	1/2	534.87	1/2	270.70	1/2	16.14	1/2		1/2	
3/4	1,884.98	3/4	1,613.01	3/4	1,341.05	3/4	1,069.09	3/4	798.04	3/4	529.30	3/4	265.13	3/4	13.59	3/4		3/4	
5	1,879.31	5	1,607.35	5	1,335.38	5	1,063.42	5	792.40	5	523.73	5	259.57	5	11.04	5		5	
1/4	1,873.65	1/4	1,601.68	1/4	1,329.72	1/4	1,057.76	1/4	786.75	1/4	518.16	1/4	254.00	1/4	8.48	1/4		1/4	
1/2	1,867.98	1/2	1,596.01	1/2	1,324.05	1/2	1,052.09	1/2	781.11	1/2	512.59	1/2	248.43	1/2		1/2		1/2	
3/4	1,862.31	3/4	1,590.35	3/4	1,318.39	3/4	1,046.42	3/4	775.47	3/4	507.02	3/4	242.86	3/4		3/4		3/4	
6	1,856.65	6	1,584.68	6	1,312.72	6	1,040.76	6	769.82	6	501.46	6	237.30	6		6		6	
1/4	1,850.98	1/4	1,579.02	1/4	1,307.06	1/4	1,035.09	1/4	764.18	1/4	495.89	1/4	231.73	1/4		1/4		1/4	
1/2	1,845.31	1/2	1,573.35	1/2	1,301.39	1/2	1,029.42	1/2	758.53	1/2	490.32	1/2	226.16	1/2		1/2		1/2	
3/4	1,839.65	3/4	1,567.69	3/4	1,295.72	3/4	1,023.77	3/4	752.87	3/4	484.75	3/4	220.59	3/4		3/4		3/4	
7	1,833.98	7	1,562.02	7	1,290.06	7	1,018.12	7	747.22	7	479.18	7	215.02	7		7		7	
1/4	1,828.32	1/4	1,556.36	1/4	1,284.39	1/4	1,012.46	1/4	741.56	1/4	473.61	1/4	209.45	1/4		1/4		1/4	
1/2	1,822.65	1/2	1,550.69	1/2	1,278.72	1/2	1,006.81	1/2	735.90	1/2	468.04	1/2	203.88	1/2		1/2		1/2	
3/4	1,816.98	3/4	1,545.02	3/4	1,273.06	3/4	1,001.17	3/4	730.24	3/4	462.47	3/4	198.31	3/4		3/4		3/4	
8	1,811.32	8	1,539.36	8	1,267.39	8	995.53	8	724.57	8	456.90	8	192.74	8		8		8	
1/4	1,805.65	1/4	1,533.69	1/4	1,261.73	1/4	989.88	1/4	718.91	1/4	451.33	1/4	187.17	1/4		1/4		1/4	
1/2	1,799.98	1/2	1,528.02	1/2	1,256.06	1/2	984.24	1/2	713.24	1/2	445.76	1/2	181.60	1/2		1/2		1/2	
3/4	1,794.32	3/4	1,522.36	3/4	1,250.39	3/4	978.60	3/4	707.64	3/4	440.19	3/4	176.15	3/4		3/4		3/4	
9	1,788.65	9	1,516.69	9	1,244.73	9	972.96	9	702.03	9	434.62	9	170.70	9		9		9	
1/4	1,782.99	1/4	1,511.03	1/4	1,239.06	1/4	967.31	1/4	696.43	1/4	429.05	1/4	165.24	1/4		1/4		1/4	
1/2	1,777.32	1/2	1,505.36	1/2	1,233.39	1/2	961.67	1/2	690.82	1/2	423.48	1/2	159.79	1/2		1/2		1/2	
3/4	1,771.66	3/4	1,499.69	3/4	1,227.73	3/4	956.03	3/4	685.25	3/4	418.03	3/4	154.41	3/4		3/4		3/4	
10	1,765.99	10	1,494.03	10	1,222.06	10	950.39	10	679.68	10	412.59	10	149.02	10		10		10	
1/4	1,760.33	1/4	1,488.36	1/4	1,216.40	1/4	944.74	1/4	674.11	1/4	407.14	1/4	143.64	1/4		1/4		1/4	
1/2	1,754.66	1/2	1,482.69	1/2	1,210.73	1/2	939.10	1/2	668.54	1/2	401.69	1/2	138.25	1/2		1/2		1/2	
3/4	1,748.99	3/4	1,477.03	3/4	1,205.07	3/4	933.46	3/4	662.97	3/4	396.31	3/4	132.87	3/4		3/4		3/4	
11	1,743.33	11	1,471.36	11	1,199.40	11	927.82	11	657.40	11	390.94	11	127.49	11		11		11	
1/4	1,737.66	1/4	1,465.70	1/4	1,193.74	1/4	922.17	1/4	651.83	1/4	385.56	1/4	122.11	1/4		1/4		1/4	
1/2	1,731.99	1/2	1,460.03	1/2	1,188.07	1/2	916.53	1/2	646.26	1/2	380.18	1/2	116.73	1/2		1/2		1/2	
3/4	1,726.33	3/4	1,454.37	3/4	1,182.40	3/4	910.89	3/4	640.69	3/4	374.81	3/4	111.35	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "SMI 30206"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 3/4"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0		0	3,631.26	0	3,359.36	0	3,088.73	0	2,816.63	0	2,544.54	0	2,272.45
1/4		1/4		1/4		1/4		1/4	3,625.59	1/4	3,353.69	1/4	3,083.06	1/4	2,810.96	1/4	2,538.87	1/4	2,266.78
1/2		1/2		1/2		1/2		1/2	3,619.93	1/2	3,348.03	1/2	3,077.39	1/2	2,805.29	1/2	2,533.20	1/2	2,261.11
3/4		3/4		3/4		3/4		3/4	3,868.47	3/4	3,614.26	3/4	3,342.36	3/4	3,071.72	3/4	2,799.62	3/4	2,255.44
1		1		1		1		1	3,865.28	1	3,608.60	1	3,336.70	1	3,066.05	1	2,793.96	1	2,521.87
1/4		1/4		1/4		1/4		1/4	3,861.62	1/4	3,602.93	1/4	3,331.03	1/4	3,060.38	1/4	2,788.29	1/4	2,516.20
1/2		1/2		1/2		1/2		1/2	3,857.95	1/2	3,597.27	1/2	3,325.37	1/2	3,054.71	1/2	2,782.62	1/2	2,510.53
3/4		3/4		3/4		3/4		3/4	3,854.29	3/4	3,591.60	3/4	3,319.70	3/4	3,049.04	3/4	2,776.95	3/4	2,504.86
2		2		2		2		2	3,850.16	2	3,585.94	2	3,314.04	2	3,043.38	2	2,771.29	2	2,499.19
1/4		1/4		1/4		1/4		1/4	3,845.55	1/4	3,580.27	1/4	3,308.37	1/4	3,037.71	1/4	2,765.62	1/4	2,493.52
1/2		1/2		1/2		1/2		1/2	3,840.94	1/2	3,574.61	1/2	3,302.71	1/2	3,032.04	1/2	2,759.95	1/2	2,487.85
3/4		3/4		3/4		3/4		3/4	3,836.33	3/4	3,568.94	3/4	3,297.04	3/4	3,026.37	3/4	2,754.28	3/4	2,482.18
3		3		3		3		3	3,831.37	3	3,563.28	3	3,291.40	3	3,020.70	3	2,748.61	3	2,476.52
1/4		1/4		1/4		1/4		1/4	3,826.08	1/4	3,557.61	1/4	3,285.78	1/4	3,015.03	1/4	2,742.94	1/4	2,470.85
1/2		1/2		1/2		1/2		1/2	3,820.78	1/2	3,551.95	1/2	3,280.17	1/2	3,009.36	1/2	2,737.27	1/2	2,465.18
3/4		3/4		3/4		3/4		3/4	3,815.49	3/4	3,546.28	3/4	3,274.55	3/4	3,003.69	3/4	2,731.60	3/4	2,459.51
4		4		4		4		4	3,810.07	4	3,540.62	4	3,268.95	4	2,998.03	4	2,725.94	4	2,453.84
1/4		1/4		1/4		1/4		1/4	3,804.54	1/4	3,534.96	1/4	3,263.36	1/4	2,992.36	1/4	2,720.27	1/4	2,448.17
1/2		1/2		1/2		1/2		1/2	3,799.01	1/2	3,529.29	1/2	3,257.78	1/2	2,986.69	1/2	2,714.60	1/2	2,442.50
3/4		3/4		3/4		3/4		3/4	3,793.48	3/4	3,523.63	3/4	3,252.19	3/4	2,981.02	3/4	2,708.93	3/4	2,436.83
5		5		5		5		5	3,787.93	5	3,517.97	5	3,246.61	5	2,975.36	5	2,703.26	5	2,431.17
1/4		1/4		1/4		1/4		1/4	3,782.38	1/4	3,512.30	1/4	3,241.03	1/4	2,969.69	1/4	2,697.59	1/4	2,425.50
1/2		1/2		1/2		1/2		1/2	3,776.82	1/2	3,506.64	1/2	3,235.45	1/2	2,964.02	1/2	2,691.92	1/2	2,419.83
3/4		3/4		3/4		3/4		3/4	3,771.27	3/4	3,500.97	3/4	3,229.87	3/4	2,958.35	3/4	2,686.25	3/4	2,414.16
6		6		6		6		6	3,765.71	6	3,495.31	6	3,224.29	6	2,952.68	6	2,680.59	6	2,408.50
1/4		1/4		1/4		1/4		1/4	3,760.16	1/4	3,489.64	1/4	3,218.71	1/4	2,947.01	1/4	2,674.92	1/4	2,402.83
1/2		1/2		1/2		1/2		1/2	3,754.61	1/2	3,483.98	1/2	3,213.13	1/2	2,941.34	1/2	2,669.25	1/2	2,397.16
3/4		3/4		3/4		3/4		3/4	3,749.06	3/4	3,478.31	3/4	3,207.55	3/4	2,935.67	3/4	2,663.58	3/4	2,391.49
7		7		7		7		7	3,743.50	7	3,472.65	7	3,201.95	7	2,930.01	7	2,657.91	7	2,385.82
1/4		1/4		1/4		1/4		1/4	3,737.95	1/4	3,466.98	1/4	3,196.32	1/4	2,924.34	1/4	2,652.24	1/4	2,380.15
1/2		1/2		1/2		1/2		1/2	3,732.39	1/2	3,461.32	1/2	3,190.69	1/2	2,918.67	1/2	2,646.57	1/2	2,374.48
3/4		3/4		3/4		3/4		3/4	3,726.84	3/4	3,455.65	3/4	3,185.06	3/4	2,913.00	3/4	2,640.90	3/4	2,368.81
8		8		8		8		8	3,721.28	8	3,449.99	8	3,179.42	8	2,907.33	8	2,635.24	8	2,363.15
1/4		1/4		1/4		1/4		1/4	3,715.73	1/4	3,444.32	1/4	3,173.75	1/4	2,901.66	1/4	2,629.57	1/4	2,357.48
1/2		1/2		1/2		1/2		1/2	3,710.17	1/2	3,438.66	1/2	3,168.08	1/2	2,895.99	1/2	2,623.90	1/2	2,351.81
3/4		3/4		3/4		3/4		3/4	3,704.62	3/4	3,432.99	3/4	3,162.41	3/4	2,890.32	3/4	2,618.23	3/4	2,346.14
9		9		9		9		9	3,699.03	9	3,427.33	9	3,156.75	9	2,884.66	9	2,612.57	9	2,340.47
1/4		1/4		1/4		1/4		1/4	3,693.42	1/4	3,421.66	1/4	3,151.08	1/4	2,878.99	1/4	2,606.90	1/4	2,334.80
1/2		1/2		1/2		1/2		1/2	3,687.80	1/2	3,416.00	1/2	3,145.41	1/2	2,873.32	1/2	2,601.23	1/2	2,329.13
3/4		3/4		3/4		3/4		3/4	3,682.19	3/4	3,410.33	3/4	3,139.74	3/4	2,867.65	3/4	2,595.56	3/4	2,323.46
10		10		10		10		10	3,676.55	10	3,404.67	10	3,134.08	10	2,861.98	10	2,589.89	10	2,317.80
1/4		1/4		1/4		1/4		1/4	3,670.99	1/4	3,399.01	1/4	3,128.41	1/4	2,856.31	1/4	2,584.22	1/4	2,312.13
1/2		1/2		1/2		1/2		1/2	3,665.24	1/2	3,393.34	1/2	3,122.74	1/2	2,850.64	1/2	2,578.55	1/2	2,306.46
3/4		3/4		3/4		3/4		3/4	3,659.58	3/4	3,387.68	3/4	3,117.07	3/4	2,844.97	3/4	2,572.88	3/4	2,300.79
11		11		11		11		11	3,653.92	11	3,382.02	11	3,111.40	11	2,839.31	11	2,567.22	11	2,295.12
1/4		1/4		1/4		1/4		1/4	3,648.25	1/4	3,376.35	1/4	3,105.73	1/4	2,833.64	1/4	2,561.55	1/4	2,289.45
1/2		1/2		1/2		1/2		1/2	3,642.59	1/2	3,370.69	1/2	3,100.06	1/2	2,827.97	1/2	2,555.88	1/2	2,283.78
3/4		3/4		3/4		3/4		3/4	3,636.92	3/4	3,365.02	3/4	3,094.39	3/4	2,822.30	3/4	2,550.21	3/4	2,278.11

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 35'-06" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "SMI 30206"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSULIN 106"

GAUGE HEIGHT 17'-05 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,000.24	0	1,727.95	0	1,455.66	0	1,183.37	0	911.11	0	640.44	0	376.56	0	115.32	0		0	
1/4	1,994.57	1/4	1,722.28	1/4	1,449.99	1/4	1,177.70	1/4	905.44	1/4	634.91	1/4	371.23	1/4	109.99	1/4		1/4	
1/2	1,988.90	1/2	1,716.61	1/2	1,444.32	1/2	1,172.03	1/2	899.77	1/2	629.39	1/2	365.90	1/2	104.66	1/2		1/2	
3/4	1,983.23	3/4	1,710.94	3/4	1,438.65	3/4	1,166.36	3/4	894.10	3/4	623.86	3/4	360.57	3/4	99.33	3/4		3/4	
1	1,977.55	1	1,705.26	1	1,432.97	1	1,160.68	1	888.42	1	618.34	1	355.23	1	93.99	1		1	
1/4	1,971.88	1/4	1,699.59	1/4	1,427.30	1/4	1,155.01	1/4	882.75	1/4	612.82	1/4	349.90	1/4	88.66	1/4		1/4	
1/2	1,966.21	1/2	1,693.92	1/2	1,421.63	1/2	1,149.34	1/2	877.08	1/2	607.29	1/2	344.57	1/2	83.33	1/2		1/2	
3/4	1,960.54	3/4	1,688.25	3/4	1,415.96	3/4	1,143.67	3/4	871.41	3/4	601.77	3/4	339.24	3/4	78.00	3/4		3/4	
2	1,954.86	2	1,682.57	2	1,410.28	2	1,137.99	2	865.74	2	596.25	2	333.86	2	72.67	2		2	
1/4	1,949.19	1/4	1,676.90	1/4	1,404.61	1/4	1,132.32	1/4	860.07	1/4	590.73	1/4	328.43	1/4	67.34	1/4		1/4	
1/2	1,943.52	1/2	1,671.23	1/2	1,398.94	1/2	1,126.65	1/2	854.40	1/2	585.20	1/2	323.00	1/2	62.01	1/2		1/2	
3/4	1,937.85	3/4	1,665.56	3/4	1,393.27	3/4	1,120.98	3/4	848.73	3/4	579.68	3/4	317.57	3/4	56.68	3/4		3/4	
3	1,932.17	3	1,659.88	3	1,387.59	3	1,115.30	3	843.06	3	574.16	3	312.10	3	51.50	3		3	
1/4	1,926.50	1/4	1,654.21	1/4	1,381.92	1/4	1,109.63	1/4	837.39	1/4	568.63	1/4	306.59	1/4	46.45	1/4		1/4	
1/2	1,920.83	1/2	1,648.54	1/2	1,376.25	1/2	1,103.96	1/2	831.72	1/2	563.11	1/2	301.08	1/2	41.41	1/2		1/2	
3/4	1,915.16	3/4	1,642.87	3/4	1,370.58	3/4	1,098.29	3/4	826.05	3/4	557.58	3/4	295.57	3/4	36.36	3/4		3/4	
4	1,909.48	4	1,637.19	4	1,364.90	4	1,092.61	4	820.38	4	552.06	4	290.06	4	31.81	4		4	
1/4	1,903.81	1/4	1,631.52	1/4	1,359.23	1/4	1,086.94	1/4	814.71	1/4	546.54	1/4	284.55	1/4	27.76	1/4		1/4	
1/2	1,898.14	1/2	1,625.85	1/2	1,353.56	1/2	1,081.27	1/2	809.04	1/2	541.01	1/2	279.03	1/2	23.70	1/2		1/2	
3/4	1,892.47	3/4	1,620.18	3/4	1,347.89	3/4	1,075.60	3/4	803.37	3/4	535.49	3/4	273.52	3/4	19.65	3/4		3/4	
5	1,886.79	5	1,614.50	5	1,342.21	5	1,069.92	5	797.69	5	529.97	5	268.00	5	16.28	5		5	
1/4	1,881.12	1/4	1,608.83	1/4	1,336.54	1/4	1,064.25	1/4	792.02	1/4	524.44	1/4	262.48	1/4	13.60	1/4		1/4	
1/2	1,875.45	1/2	1,603.16	1/2	1,330.87	1/2	1,058.58	1/2	786.35	1/2	518.92	1/2	256.96	1/2	10.92	1/2		1/2	
3/4	1,869.78	3/4	1,597.49	3/4	1,325.20	3/4	1,052.91	3/4	780.68	3/4	513.39	3/4	251.44	3/4	8.24	3/4		3/4	
6	1,864.10	6	1,591.81	6	1,319.52	6	1,047.23	6	775.00	6	507.87	6	245.92	6		6		6	
1/4	1,858.43	1/4	1,586.14	1/4	1,313.85	1/4	1,041.56	1/4	769.33	1/4	502.35	1/4	240.40	1/4		1/4		1/4	
1/2	1,852.76	1/2	1,580.47	1/2	1,308.18	1/2	1,035.89	1/2	763.66	1/2	496.82	1/2	234.87	1/2		1/2		1/2	
3/4	1,847.09	3/4	1,574.80	3/4	1,302.51	3/4	1,030.22	3/4	757.99	3/4	491.30	3/4	229.35	3/4		3/4		3/4	
7	1,841.41	7	1,569.12	7	1,296.83	7	1,024.54	7	752.31	7	485.78	7	223.83	7		7		7	
1/4	1,835.74	1/4	1,563.45	1/4	1,291.16	1/4	1,018.87	1/4	746.64	1/4	480.26	1/4	218.30	1/4		1/4		1/4	
1/2	1,830.06	1/2	1,557.77	1/2	1,285.49	1/2	1,013.20	1/2	740.97	1/2	474.73	1/2	212.78	1/2		1/2		1/2	
3/4	1,824.39	3/4	1,552.10	3/4	1,279.82	3/4	1,007.53	3/4	735.30	3/4	469.21	3/4	207.25	3/4		3/4		3/4	
8	1,818.71	8	1,546.42	8	1,274.14	8	1,001.85	8	729.62	8	463.69	8	201.73	8		8		8	
1/4	1,813.04	1/4	1,540.75	1/4	1,268.47	1/4	996.18	1/4	723.95	1/4	458.16	1/4	196.21	1/4		1/4		1/4	
1/2	1,807.37	1/2	1,535.08	1/2	1,262.79	1/2	990.51	1/2	718.28	1/2	452.64	1/2	190.68	1/2		1/2		1/2	
3/4	1,801.70	3/4	1,529.41	3/4	1,257.12	3/4	984.84	3/4	712.61	3/4	447.11	3/4	185.16	3/4		3/4		3/4	
9	1,796.02	9	1,523.73	9	1,251.44	9	979.16	9	706.98	9	441.59	9	179.69	9		9		9	
1/4	1,790.35	1/4	1,518.06	1/4	1,245.77	1/4	973.49	1/4	701.39	1/4	436.07	1/4	174.27	1/4		1/4		1/4	
1/2	1,784.68	1/2	1,512.39	1/2	1,240.10	1/2	967.82	1/2	695.80	1/2	430.54	1/2	168.84	1/2		1/2		1/2	
3/4	1,779.01	3/4	1,506.72	3/4	1,234.43	3/4	962.15	3/4	690.21	3/4	425.02	3/4	163.42	3/4		3/4		3/4	
10	1,773.33	10	1,501.04	10	1,228.75	10	956.48	10	684.65	10	419.55	10	158.04	10		10		10	
1/4	1,767.66	1/4	1,495.37	1/4	1,223.08	1/4	950.81	1/4	679.12	1/4	414.13	1/4	152.69	1/4		1/4		1/4	
1/2	1,761.99	1/2	1,489.70	1/2	1,217.41	1/2	945.14	1/2	673.59	1/2	408.72	1/2	147.34	1/2		1/2		1/2	
3/4	1,756.32	3/4	1,484.03	3/4	1,211.74	3/4	939.47	3/4	668.06	3/4	403.30	3/4	141.99	3/4		3/4		3/4	
11	1,750.64	11	1,478.35	11	1,206.06	11	933.80	11	662.53	11	397.92	11	136.65	11		11		11	
1/4	1,744.97	1/4	1,472.68	1/4	1,200.39	1/4	928.13	1/4	657.01	1/4	392.58	1/4	131.32	1/4		1/4		1/4	
1/2	1,739.30	1/2	1,467.01	1/2	1,194.72	1/2	922.46	1/2	651.48	1/2	387.24	1/2	125.99	1/2		1/2		1/2	
3/4	1,733.63	3/4	1,461.34	3/4	1,189.05	3/4	916.79	3/4	645.96	3/4	381.90	3/4	120.66	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "SMI 30206"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 1/2"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT	IN	OUT
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3	3
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4	4
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5	5
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6	6
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7	7
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9	9
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10	10
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11	11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12	12
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.
CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.
CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT
CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.
GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 35'-06" FORWARD OF AFT BULKHEAD.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "SMI 30206"

3 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSULIN 106"

GAUGE HEIGHT 17'-05 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,993.35	0	1,721.09	0	1,448.82	0	1,176.56	0	904.73	0	634.85	0	371.19	0	109.98	0		0	
1/4	1,987.68	1/4	1,715.42	1/4	1,443.15	1/4	1,170.89	1/4	899.09	1/4	629.33	1/4	365.86	1/4	104.65	1/4		1/4	
1/2	1,982.01	1/2	1,709.74	1/2	1,437.47	1/2	1,165.21	1/2	893.44	1/2	623.80	1/2	360.53	1/2	99.32	1/2		1/2	
3/4	1,976.34	3/4	1,704.07	3/4	1,431.80	3/4	1,159.54	3/4	887.79	3/4	618.28	3/4	355.20	3/4	93.99	3/4		3/4	
1	1,970.67	1	1,698.40	1	1,426.13	1	1,153.87	1	882.14	1	612.76	1	349.87	1	88.66	1		1	
1/4	1,965.00	1/4	1,692.73	1/4	1,420.46	1/4	1,148.20	1/4	876.49	1/4	607.24	1/4	344.54	1/4	83.33	1/4		1/4	
1/2	1,959.32	1/2	1,687.05	1/2	1,414.79	1/2	1,142.52	1/2	870.84	1/2	601.71	1/2	339.21	1/2	78.00	1/2		1/2	
3/4	1,953.65	3/4	1,681.38	3/4	1,409.12	3/4	1,136.85	3/4	865.19	3/4	596.19	3/4	333.88	3/4	72.67	3/4		3/4	
2	1,947.98	2	1,675.71	2	1,403.45	2	1,131.18	2	859.54	2	590.67	2	328.44	2	67.34	2		2	
1/4	1,942.31	1/4	1,670.04	1/4	1,397.78	1/4	1,125.51	1/4	853.90	1/4	585.14	1/4	322.99	1/4	62.01	1/4		1/4	
1/2	1,936.63	1/2	1,664.36	1/2	1,392.10	1/2	1,119.83	1/2	848.25	1/2	579.62	1/2	317.55	1/2	56.67	1/2		1/2	
3/4	1,930.96	3/4	1,658.69	3/4	1,386.43	3/4	1,114.16	3/4	842.60	3/4	574.09	3/4	312.10	3/4	51.34	3/4		3/4	
3	1,925.29	3	1,653.02	3	1,380.76	3	1,108.49	3	836.95	3	568.57	3	306.59	3	46.34	3		3	
1/4	1,919.62	1/4	1,647.35	1/4	1,375.09	1/4	1,102.82	1/4	831.30	1/4	563.05	1/4	301.07	1/4	41.34	1/4		1/4	
1/2	1,913.94	1/2	1,641.67	1/2	1,369.41	1/2	1,097.14	1/2	825.65	1/2	557.52	1/2	295.56	1/2	36.33	1/2		1/2	
3/4	1,908.27	3/4	1,636.00	3/4	1,363.74	3/4	1,091.47	3/4	820.00	3/4	552.00	3/4	290.04	3/4	31.33	3/4		3/4	
4	1,902.60	4	1,630.33	4	1,358.07	4	1,085.80	4	814.35	4	546.48	4	284.52	4	27.41	4		4	
1/4	1,896.93	1/4	1,624.66	1/4	1,352.40	1/4	1,080.13	1/4	808.71	1/4	540.96	1/4	279.01	1/4	23.49	1/4		1/4	
1/2	1,891.25	1/2	1,618.98	1/2	1,346.72	1/2	1,074.45	1/2	803.06	1/2	535.43	1/2	273.49	1/2	19.57	1/2		1/2	
3/4	1,885.58	3/4	1,613.31	3/4	1,341.05	3/4	1,068.78	3/4	797.41	3/4	529.91	3/4	267.97	3/4	15.65	3/4		3/4	
5	1,879.91	5	1,607.64	5	1,335.38	5	1,063.11	5	791.76	5	524.39	5	262.45	5	13.15	5		5	
1/4	1,874.24	1/4	1,601.97	1/4	1,329.71	1/4	1,057.44	1/4	786.11	1/4	518.87	1/4	256.93	1/4	10.65	1/4		1/4	
1/2	1,868.56	1/2	1,596.30	1/2	1,324.03	1/2	1,051.76	1/2	780.46	1/2	513.34	1/2	251.41	1/2	8.15	1/2		1/2	
3/4	1,862.89	3/4	1,590.63	3/4	1,318.36	3/4	1,046.09	3/4	774.81	3/4	507.82	3/4	245.89	3/4		3/4		3/4	
6	1,857.22	6	1,584.96	6	1,312.69	6	1,040.42	6	769.16	6	502.30	6	240.37	6		6		6	
1/4	1,851.55	1/4	1,579.29	1/4	1,307.02	1/4	1,034.75	1/4	763.51	1/4	496.78	1/4	234.85	1/4		1/4		1/4	
1/2	1,845.87	1/2	1,573.61	1/2	1,301.34	1/2	1,029.08	1/2	757.86	1/2	491.25	1/2	229.32	1/2		1/2		1/2	
3/4	1,840.20	3/4	1,567.94	3/4	1,295.67	3/4	1,023.41	3/4	752.21	3/4	485.73	3/4	223.80	3/4		3/4		3/4	
7	1,834.53	7	1,562.27	7	1,290.00	7	1,017.75	7	746.55	7	480.21	7	218.28	7		7		7	
1/4	1,828.86	1/4	1,556.60	1/4	1,284.33	1/4	1,012.09	1/4	740.89	1/4	474.69	1/4	212.76	1/4		1/4		1/4	
1/2	1,823.18	1/2	1,550.92	1/2	1,278.65	1/2	1,006.43	1/2	735.22	1/2	469.16	1/2	207.23	1/2		1/2		1/2	
3/4	1,817.51	3/4	1,545.25	3/4	1,272.98	3/4	1,000.77	3/4	729.56	3/4	463.64	3/4	201.71	3/4		3/4		3/4	
8	1,811.84	8	1,539.58	8	1,267.31	8	995.12	8	723.89	8	458.12	8	196.19	8		8		8	
1/4	1,806.17	1/4	1,533.91	1/4	1,261.64	1/4	989.47	1/4	718.22	1/4	452.59	1/4	190.67	1/4		1/4		1/4	
1/2	1,800.50	1/2	1,528.23	1/2	1,255.96	1/2	983.82	1/2	712.54	1/2	447.07	1/2	185.14	1/2		1/2		1/2	
3/4	1,794.83	3/4	1,522.56	3/4	1,250.29	3/4	978.17	3/4	706.87	3/4	441.54	3/4	179.62	3/4		3/4		3/4	
9	1,789.16	9	1,516.89	9	1,244.62	9	972.52	9	701.29	9	436.02	9	174.21	9		9		9	
1/4	1,783.49	1/4	1,511.22	1/4	1,238.95	1/4	966.88	1/4	695.71	1/4	430.50	1/4	168.81	1/4		1/4		1/4	
1/2	1,777.81	1/2	1,505.54	1/2	1,233.28	1/2	961.23	1/2	690.13	1/2	424.97	1/2	163.40	1/2		1/2		1/2	
3/4	1,772.14	3/4	1,499.87	3/4	1,227.61	3/4	955.58	3/4	684.55	3/4	419.45	3/4	157.99	3/4		3/4		3/4	
10	1,766.47	10	1,494.20	10	1,221.94	10	949.93	10	679.03	10	414.05	10	152.65	10		10		10	
1/4	1,760.80	1/4	1,488.53	1/4	1,216.27	1/4	944.28	1/4	673.51	1/4	408.65	1/4	147.32	1/4		1/4		1/4	
1/2	1,755.12	1/2	1,482.85	1/2	1,210.59	1/2	938.63	1/2	667.98	1/2	403.24	1/2	141.98	1/2		1/2		1/2	
3/4	1,749.45	3/4	1,477.18	3/4	1,204.92	3/4	932.98	3/4	662.46	3/4	397.84	3/4	136.64	3/4		3/4		3/4	
11	1,743.78	11	1,471.51	11	1,199.25	11	927.33	11	656.94	11	392.51	11	131.31	11		11		11	
1/4	1,738.11	1/4	1,465.84	1/4	1,193.58	1/4	921.68	1/4	651.42	1/4	387.18	1/4	125.98	1/4		1/4		1/4	
1/2	1,732.43	1/2	1,460.16	1/2	1,187.90	1/2	916.03	1/2	645.89	1/2	381.85	1/2	120.64	1/2		1/2		1/2	
3/4	1,726.76	3/4	1,454.49	3/4	1,182.23	3/4	910.38	3/4	640.37	3/4	376.52	3/4	115.31	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "SMI 30206"

4 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 1/2"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
IN		IN		IN		IN		IN		IN		IN		IN		IN		IN	
0	1,979.80	0	1,709.07	0	1,437.54	0	1,166.02	0	894.52	0	624.29	0	363.74	0	107.15	0		0	
1/4	1,974.17	1/4	1,703.41	1/4	1,431.88	1/4	1,160.36	1/4	888.86	1/4	618.74	1/4	358.50	1/4	101.91	1/4		1/4	
1/2	1,968.54	1/2	1,697.75	1/2	1,426.23	1/2	1,154.70	1/2	883.21	1/2	613.19	1/2	353.27	1/2	96.68	1/2		1/2	
3/4	1,962.91	3/4	1,692.09	3/4	1,420.57	3/4	1,149.04	3/4	877.55	3/4	607.64	3/4	348.03	3/4	91.44	3/4		3/4	
1	1,957.29	1	1,686.44	1	1,414.92	1	1,143.39	1	871.90	1	602.10	1	342.80	1	86.21	1		1	
1/4	1,951.66	1/4	1,680.78	1/4	1,409.26	1/4	1,137.73	1/4	866.24	1/4	596.55	1/4	337.57	1/4	80.98	1/4		1/4	
1/2	1,946.03	1/2	1,675.13	1/2	1,403.60	1/2	1,132.07	1/2	860.59	1/2	591.00	1/2	332.34	1/2	75.75	1/2		1/2	
3/4	1,940.40	3/4	1,669.47	3/4	1,397.94	3/4	1,126.41	3/4	854.93	3/4	585.45	3/4	327.10	3/4	70.51	3/4		3/4	
2	1,934.77	2	1,663.82	2	1,392.29	2	1,120.76	2	849.28	2	579.91	2	321.75	2	65.28	2		2	
1/4	1,929.14	1/4	1,658.16	1/4	1,386.63	1/4	1,115.10	1/4	843.62	1/4	574.36	1/4	316.40	1/4	60.04	1/4		1/4	
1/2	1,923.51	1/2	1,652.50	1/2	1,380.97	1/2	1,109.45	1/2	837.97	1/2	568.81	1/2	311.05	1/2	54.81	1/2		1/2	
3/4	1,917.88	3/4	1,646.84	3/4	1,375.31	3/4	1,103.79	3/4	832.31	3/4	563.26	3/4	305.70	3/4	49.57	3/4		3/4	
3	1,912.26	3	1,641.19	3	1,369.66	3	1,098.14	3	826.66	3	557.79	3	300.28	3	44.68	3		3	
1/4	1,906.63	1/4	1,635.53	1/4	1,364.00	1/4	1,092.48	1/4	821.00	1/4	552.32	1/4	294.86	1/4	39.79	1/4		1/4	
1/2	1,901.00	1/2	1,629.87	1/2	1,358.35	1/2	1,086.82	1/2	815.34	1/2	546.85	1/2	289.44	1/2	34.90	1/2		1/2	
3/4	1,895.37	3/4	1,624.21	3/4	1,352.69	3/4	1,081.16	3/4	809.68	3/4	541.37	3/4	284.02	3/4	30.00	3/4		3/4	
4	1,889.74	4	1,618.56	4	1,347.04	4	1,075.51	4	804.03	4	535.95	4	278.61	4	26.19	4		4	
1/4	1,884.11	1/4	1,612.90	1/4	1,341.38	1/4	1,069.85	1/4	798.37	1/4	530.52	1/4	273.19	1/4	22.38	1/4		1/4	
1/2	1,878.48	1/2	1,607.24	1/2	1,335.72	1/2	1,064.19	1/2	792.72	1/2	525.09	1/2	267.77	1/2	18.57	1/2		1/2	
3/4	1,872.85	3/4	1,601.58	3/4	1,330.06	3/4	1,058.53	3/4	787.06	3/4	519.66	3/4	262.35	3/4	14.76	3/4		3/4	
5	1,867.23	5	1,595.93	5	1,324.41	5	1,052.88	5	781.41	5	514.24	5	256.93	5	12.36	5		5	
1/4	1,861.60	1/4	1,590.27	1/4	1,318.75	1/4	1,047.22	1/4	775.75	1/4	508.81	1/4	251.50	1/4	9.96	1/4		1/4	
1/2	1,855.97	1/2	1,584.62	1/2	1,313.09	1/2	1,041.56	1/2	770.10	1/2	503.38	1/2	246.08	1/2	7.56	1/2		1/2	
3/4	1,850.34	3/4	1,578.96	3/4	1,307.43	3/4	1,035.90	3/4	764.44	3/4	497.95	3/4	240.65	3/4		3/4		3/4	
6	1,844.71	6	1,573.31	6	1,301.78	6	1,030.25	6	758.79	6	492.53	6	235.23	6		6		6	
1/4	1,839.08	1/4	1,567.65	1/4	1,296.12	1/4	1,024.59	1/4	753.13	1/4	487.10	1/4	229.80	1/4		1/4		1/4	
1/2	1,833.45	1/2	1,561.99	1/2	1,290.46	1/2	1,018.94	1/2	747.48	1/2	481.68	1/2	224.37	1/2		1/2		1/2	
3/4	1,827.82	3/4	1,556.33	3/4	1,284.80	3/4	1,013.28	3/4	741.82	3/4	476.25	3/4	218.94	3/4		3/4		3/4	
7	1,822.18	7	1,550.68	7	1,279.15	7	1,007.63	7	736.17	7	470.83	7	213.52	7		7		7	
1/4	1,816.53	1/4	1,545.02	1/4	1,273.49	1/4	1,001.97	1/4	730.51	1/4	465.40	1/4	208.09	1/4		1/4		1/4	
1/2	1,810.88	1/2	1,539.36	1/2	1,267.84	1/2	996.31	1/2	724.85	1/2	459.97	1/2	202.67	1/2		1/2		1/2	
3/4	1,805.23	3/4	1,533.70	3/4	1,262.18	3/4	990.65	3/4	719.19	3/4	454.54	3/4	197.24	3/4		3/4		3/4	
8	1,799.58	8	1,528.05	8	1,256.53	8	985.00	8	713.54	8	449.12	8	191.82	8		8		8	
1/4	1,793.92	1/4	1,522.39	1/4	1,250.87	1/4	979.34	1/4	707.88	1/4	443.69	1/4	186.39	1/4		1/4		1/4	
1/2	1,788.26	1/2	1,516.74	1/2	1,245.21	1/2	973.69	1/2	702.23	1/2	438.26	1/2	180.96	1/2		1/2		1/2	
3/4	1,782.60	3/4	1,511.08	3/4	1,239.55	3/4	968.03	3/4	696.57	3/4	432.83	3/4	175.53	3/4		3/4		3/4	
9	1,776.95	9	1,505.43	9	1,233.90	9	962.38	9	690.98	9	427.41	9	170.22	9		9		9	
1/4	1,771.29	1/4	1,499.77	1/4	1,228.24	1/4	956.72	1/4	685.39	1/4	421.98	1/4	164.91	1/4		1/4		1/4	
1/2	1,765.64	1/2	1,494.11	1/2	1,222.58	1/2	951.07	1/2	679.80	1/2	416.56	1/2	159.60	1/2		1/2		1/2	
3/4	1,759.98	3/4	1,488.45	3/4	1,216.92	3/4	945.41	3/4	674.21	3/4	411.13	3/4	154.29	3/4		3/4		3/4	
10	1,754.33	10	1,482.80	10	1,211.27	10	939.76	10	668.67	10	405.83	10	149.05	10		10		10	
1/4	1,748.67	1/4	1,477.14	1/4	1,205.61	1/4	934.10	1/4	663.12	1/4	400.52	1/4	143.81	1/4		1/4		1/4	
1/2	1,743.01	1/2	1,471.48	1/2	1,199.96	1/2	928.45	1/2	657.57	1/2	395.21	1/2	138.57	1/2		1/2		1/2	
3/4	1,737.35	3/4	1,465.82	3/4	1,194.30	3/4	922.79	3/4	652.02	3/4	389.90	3/4	133.32	3/4		3/4		3/4	
11	1,731.70	11	1,460.17	11	1,188.65	11	917.14	11	646.48	11	384.67	11	128.09	11		11		11	
1/4	1,726.04	1/4	1,454.51	1/4	1,182.99	1/4	911.48	1/4	640.93	1/4	379.44	1/4	122.85	1/4		1/4		1/4	
1/2	1,720.38	1/2	1,448.85	1/2	1,177.33	1/2	905.83	1/2	635.38	1/2	374.21	1/2	117.62	1/2		1/2		1/2	
3/4	1,714.72	3/4	1,443.19	3/4	1,171.67	3/4	900.17	3/4	629.83	3/4	368.97	3/4	112.38	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>





BARGE "SMI 30206"

4 STBD
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 3/4"

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.	
IN	0	IN	0	IN	0	IN	0	IN	2,842.11	IN	2,753.08	IN	2,663.78	IN	2,574.36	IN	2,484.95	IN	2,239.59
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,840.26	1/4	2,751.23	1/4	2,661.92	1/4	2,572.50	1/4	2,483.09	1/4	2,234.11
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,838.40	1/2	2,749.37	1/2	2,660.05	1/2	2,570.63	1/2	2,481.22	1/2	2,228.63
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,919.80	3/4	2,836.55	3/4	2,747.52	3/4	2,658.19	3/4	2,568.77	3/4	2,223.15
IN	1	IN	1	IN	1	IN	1	IN	2,918.87	IN	2,834.69	IN	2,745.66	IN	2,656.33	IN	2,566.91	IN	2,477.50
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,917.63	1/4	2,832.84	1/4	2,743.81	1/4	2,654.47	1/4	2,565.05	1/4	2,473.29
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,916.40	1/2	2,830.98	1/2	2,741.96	1/2	2,652.60	1/2	2,563.18	1/2	2,469.08
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,915.16	3/4	2,829.13	3/4	2,740.10	3/4	2,650.74	3/4	2,561.32	3/4	2,201.02
IN	2	IN	2	IN	2	IN	2	IN	2,913.92	IN	2,827.27	IN	2,738.25	IN	2,648.88	IN	2,559.46	IN	2,460.66
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,912.37	1/4	2,825.42	1/4	2,736.40	1/4	2,647.01	1/4	2,557.60	1/4	2,455.04
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,910.83	1/2	2,823.56	1/2	2,734.54	1/2	2,645.15	1/2	2,555.73	1/2	2,449.42
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,909.28	3/4	2,821.71	3/4	2,732.69	3/4	2,643.28	3/4	2,553.87	3/4	2,443.81
IN	3	IN	3	IN	3	IN	3	IN	2,907.73	IN	2,819.85	IN	2,730.83	IN	2,641.42	IN	2,552.01	IN	2,438.19
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,905.97	1/4	2,818.00	1/4	2,728.97	1/4	2,639.56	1/4	2,550.15	1/4	2,432.57
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,904.21	1/2	2,816.14	1/2	2,727.11	1/2	2,637.69	1/2	2,548.28	1/2	2,426.95
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,902.44	3/4	2,814.29	3/4	2,725.25	3/4	2,635.83	3/4	2,546.42	3/4	2,421.33
IN	4	IN	4	IN	4	IN	4	IN	2,900.68	IN	2,812.43	IN	2,723.39	IN	2,633.97	IN	2,544.56	IN	2,415.71
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,898.86	1/4	2,810.58	1/4	2,721.53	1/4	2,632.11	1/4	2,542.70	1/4	2,410.09
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,897.05	1/2	2,808.72	1/2	2,719.66	1/2	2,630.24	1/2	2,540.83	1/2	2,404.47
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,895.23	3/4	2,806.87	3/4	2,717.80	3/4	2,628.38	3/4	2,538.97	3/4	2,398.86
IN	5	IN	5	IN	5	IN	5	IN	2,893.41	IN	2,805.01	IN	2,715.94	IN	2,626.52	IN	2,537.11	IN	2,393.24
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,891.59	1/4	2,803.16	1/4	2,714.07	1/4	2,624.66	1/4	2,535.25	1/4	2,387.71
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,889.78	1/2	2,801.31	1/2	2,712.21	1/2	2,622.79	1/2	2,533.38	1/2	2,382.17
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,887.96	3/4	2,799.45	3/4	2,710.34	3/4	2,620.93	3/4	2,531.52	3/4	2,376.64
IN	6	IN	6	IN	6	IN	6	IN	2,886.14	IN	2,797.60	IN	2,708.48	IN	2,619.07	IN	2,529.66	IN	2,371.11
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,884.32	1/4	2,795.75	1/4	2,706.62	1/4	2,617.21	1/4	2,527.79	1/4	2,365.63
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,882.50	1/2	2,793.89	1/2	2,704.75	1/2	2,615.34	1/2	2,525.93	1/2	2,360.15
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,880.68	3/4	2,792.04	3/4	2,702.89	3/4	2,613.48	3/4	2,524.06	3/4	2,354.67
IN	7	IN	7	IN	7	IN	7	IN	2,878.86	IN	2,790.18	IN	2,701.03	IN	2,611.62	IN	2,522.20	IN	2,349.19
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,877.04	1/4	2,788.33	1/4	2,699.17	1/4	2,609.76	1/4	2,520.34	1/4	2,343.71
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,875.23	1/2	2,786.47	1/2	2,697.30	1/2	2,607.89	1/2	2,518.47	1/2	2,338.23
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,873.41	3/4	2,784.62	3/4	2,695.44	3/4	2,606.03	3/4	2,516.61	3/4	2,332.75
IN	8	IN	8	IN	8	IN	8	IN	2,871.59	IN	2,782.76	IN	2,693.58	IN	2,604.17	IN	2,514.75	IN	2,327.27
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,869.77	1/4	2,780.91	1/4	2,691.72	1/4	2,602.31	1/4	2,512.89	1/4	2,321.79
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,867.95	1/2	2,779.05	1/2	2,689.85	1/2	2,600.44	1/2	2,511.02	1/2	2,316.31
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,866.13	3/4	2,777.20	3/4	2,687.99	3/4	2,598.58	3/4	2,509.16	3/4	2,310.83
IN	9	IN	9	IN	9	IN	9	IN	2,864.31	IN	2,775.34	IN	2,686.13	IN	2,596.72	IN	2,507.30	IN	2,305.35
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,862.47	1/4	2,773.49	1/4	2,684.27	1/4	2,594.86	1/4	2,505.44	1/4	2,299.87
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,860.63	1/2	2,771.63	1/2	2,682.40	1/2	2,592.99	1/2	2,503.57	1/2	2,294.39
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,858.79	3/4	2,769.78	3/4	2,680.54	3/4	2,591.13	3/4	2,501.71	3/4	2,288.91
IN	10	IN	10	IN	10	IN	10	IN	2,856.95	IN	2,767.92	IN	2,678.68	IN	2,589.27	IN	2,499.85	IN	2,283.43
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,855.10	1/4	2,766.07	1/4	2,676.82	1/4	2,587.40	1/4	2,497.99	1/4	2,277.95
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,853.24	1/2	2,764.21	1/2	2,674.95	1/2	2,585.54	1/2	2,496.12	1/2	2,272.47
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,851.39	3/4	2,762.36	3/4	2,673.09	3/4	2,583.67	3/4	2,494.26	3/4	2,266.99
IN	11	IN	11	IN	11	IN	11	IN	2,849.53	IN	2,760.50	IN	2,671.23	IN	2,581.81	IN	2,492.40	IN	2,261.51
1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	2,847.68	1/4	2,758.65	1/4	2,669.37	1/4	2,579.95	1/4	2,490.54	1/4	2,256.03
1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	2,845.82	1/2	2,756.79	1/2	2,667.50	1/2	2,578.08	1/2	2,488.67	1/2	2,250.55
3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	2,843.97	3/4	2,754.94	3/4	2,665.64	3/4	2,576.22	3/4	2,486.81	3/4	2,245.07

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.

CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.

CAPACITY TABLE EXTENDS TO UNDERSIDE OF DECK AT GAUGE POINT

CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

GAUGE POINT: (HERMETIC) LOCATED 11'-00" OFF CENTERLINE AND 49'-00" FORWARD OF AFT BULKHEAD.

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092

Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "SMI 30206"

4 STBD ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "GONSOLIN 106"

GAUGE HEIGHT 17'-05 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	1,971.87	0	1,703.03	0	1,433.44	0	1,163.83	0	894.21	0	625.94	0	367.05	0	112.06	0		0	
1/4	1,966.28	1/4	1,697.41	1/4	1,427.82	1/4	1,158.21	1/4	888.59	1/4	620.44	1/4	361.85	1/4	106.84	1/4		1/4	
1/2	1,960.69	1/2	1,691.79	1/2	1,422.21	1/2	1,152.59	1/2	882.98	1/2	614.93	1/2	356.66	1/2	101.62	1/2		1/2	
3/4	1,955.10	3/4	1,686.18	3/4	1,416.59	3/4	1,146.98	3/4	877.36	3/4	609.43	3/4	351.46	3/4	96.41	3/4		3/4	
1	1,949.51	1	1,680.56	1	1,410.98	1	1,141.36	1	871.75	1	603.93	1	346.27	1	91.19	1		1	
1/4	1,943.92	1/4	1,674.94	1/4	1,405.36	1/4	1,135.74	1/4	866.13	1/4	598.43	1/4	341.07	1/4	85.97	1/4		1/4	
1/2	1,938.33	1/2	1,669.32	1/2	1,399.75	1/2	1,130.12	1/2	860.52	1/2	592.92	1/2	335.88	1/2	80.75	1/2		1/2	
3/4	1,932.74	3/4	1,663.71	3/4	1,394.13	3/4	1,124.51	3/4	854.90	3/4	587.42	3/4	330.68	3/4	75.53	3/4		3/4	
2	1,927.15	2	1,658.09	2	1,388.52	2	1,118.89	2	849.29	2	581.92	2	325.49	2	70.31	2		2	
1/4	1,921.56	1/4	1,652.47	1/4	1,382.90	1/4	1,113.27	1/4	843.67	1/4	576.42	1/4	320.18	1/4	65.09	1/4		1/4	
1/2	1,915.97	1/2	1,646.85	1/2	1,377.29	1/2	1,107.65	1/2	838.05	1/2	570.91	1/2	314.86	1/2	59.87	1/2		1/2	
3/4	1,910.38	3/4	1,641.24	3/4	1,371.67	3/4	1,102.04	3/4	832.44	3/4	565.41	3/4	309.55	3/4	54.66	3/4		3/4	
3	1,904.79	3	1,635.62	3	1,366.06	3	1,096.42	3	826.82	3	559.91	3	304.24	3	49.44	3		3	
1/4	1,899.20	1/4	1,630.00	1/4	1,360.44	1/4	1,090.80	1/4	821.20	1/4	554.48	1/4	298.86	1/4	44.56	1/4		1/4	
1/2	1,893.61	1/2	1,624.38	1/2	1,354.83	1/2	1,085.18	1/2	815.59	1/2	549.05	1/2	293.48	1/2	39.68	1/2		1/2	
3/4	1,888.02	3/4	1,618.76	3/4	1,349.21	3/4	1,079.57	3/4	809.97	3/4	543.63	3/4	288.10	3/4	34.80	3/4		3/4	
4	1,882.43	4	1,613.14	4	1,343.60	4	1,073.95	4	804.36	4	538.20	4	282.72	4	29.92	4		4	
1/4	1,876.84	1/4	1,607.52	1/4	1,337.98	1/4	1,068.33	1/4	798.75	1/4	532.81	1/4	277.34	1/4	26.12	1/4		1/4	
1/2	1,871.25	1/2	1,601.90	1/2	1,332.36	1/2	1,062.71	1/2	793.13	1/2	527.43	1/2	271.96	1/2	22.32	1/2		1/2	
3/4	1,865.66	3/4	1,596.29	3/4	1,326.75	3/4	1,057.10	3/4	787.52	3/4	522.04	3/4	266.58	3/4	18.52	3/4		3/4	
5	1,860.07	5	1,590.67	5	1,321.13	5	1,051.48	5	781.91	5	516.66	5	261.20	5	14.72	5		5	
1/4	1,854.48	1/4	1,585.05	1/4	1,315.51	1/4	1,045.86	1/4	776.30	1/4	511.27	1/4	255.81	1/4	12.32	1/4		1/4	
1/2	1,848.89	1/2	1,579.43	1/2	1,309.89	1/2	1,040.24	1/2	770.69	1/2	505.88	1/2	250.43	1/2	9.93	1/2		1/2	
3/4	1,843.30	3/4	1,573.82	3/4	1,304.28	3/4	1,034.63	3/4	765.08	3/4	500.50	3/4	245.04	3/4	7.53	3/4		3/4	
6	1,837.71	6	1,568.20	6	1,298.66	6	1,029.01	6	759.47	6	495.11	6	239.66	6		6		6	
1/4	1,832.12	1/4	1,562.58	1/4	1,293.04	1/4	1,023.39	1/4	753.86	1/4	489.72	1/4	234.27	1/4		1/4		1/4	
1/2	1,826.53	1/2	1,556.96	1/2	1,287.42	1/2	1,017.77	1/2	748.25	1/2	484.33	1/2	228.88	1/2		1/2		1/2	
3/4	1,820.94	3/4	1,551.35	3/4	1,281.81	3/4	1,012.15	3/4	742.64	3/4	478.95	3/4	223.49	3/4		3/4		3/4	
7	1,815.35	7	1,545.73	7	1,276.19	7	1,006.53	7	737.03	7	473.56	7	218.10	7		7		7	
1/4	1,809.74	1/4	1,540.11	1/4	1,270.57	1/4	1,000.91	1/4	731.42	1/4	468.17	1/4	212.71	1/4		1/4		1/4	
1/2	1,804.13	1/2	1,534.50	1/2	1,264.95	1/2	995.30	1/2	725.81	1/2	462.78	1/2	207.32	1/2		1/2		1/2	
3/4	1,798.53	3/4	1,528.88	3/4	1,259.34	3/4	989.68	3/4	720.20	3/4	457.39	3/4	201.94	3/4		3/4		3/4	
8	1,792.92	8	1,523.27	8	1,253.72	8	984.07	8	714.59	8	452.00	8	196.55	8		8		8	
1/4	1,787.30	1/4	1,517.65	1/4	1,248.10	1/4	978.45	1/4	708.98	1/4	446.61	1/4	191.16	1/4		1/4		1/4	
1/2	1,781.68	1/2	1,512.04	1/2	1,242.48	1/2	972.83	1/2	703.36	1/2	441.22	1/2	185.77	1/2		1/2		1/2	
3/4	1,776.07	3/4	1,506.42	3/4	1,236.87	3/4	967.22	3/4	697.75	3/4	435.84	3/4	180.39	3/4		3/4		3/4	
9	1,770.45	9	1,500.81	9	1,231.25	9	961.60	9	692.14	9	430.45	9	175.00	9		9		9	
1/4	1,764.83	1/4	1,495.20	1/4	1,225.63	1/4	955.98	1/4	686.60	1/4	425.06	1/4	169.71	1/4		1/4		1/4	
1/2	1,759.21	1/2	1,489.58	1/2	1,220.01	1/2	950.37	1/2	681.05	1/2	419.67	1/2	164.42	1/2		1/2		1/2	
3/4	1,753.60	3/4	1,483.97	3/4	1,214.40	3/4	944.75	3/4	675.51	3/4	414.29	3/4	159.14	3/4		3/4		3/4	
10	1,747.98	10	1,478.36	10	1,208.78	10	939.14	10	669.97	10	408.90	10	153.85	10		10		10	
1/4	1,742.36	1/4	1,472.74	1/4	1,203.16	1/4	933.52	1/4	664.46	1/4	403.63	1/4	148.62	1/4		1/4		1/4	
1/2	1,736.74	1/2	1,467.13	1/2	1,197.54	1/2	927.91	1/2	658.96	1/2	398.36	1/2	143.40	1/2		1/2		1/2	
3/4	1,731.12	3/4	1,461.51	3/4	1,191.92	3/4	922.29	3/4	653.45	3/4	393.10	3/4	138.17	3/4		3/4		3/4	
11	1,725.50	11	1,455.90	11	1,186.30	11	916.68	11	647.95	11	387.83	11	132.95	11		11		11	
1/4	1,719.88	1/4	1,450.28	1/4	1,180.68	1/4	911.06	1/4	642.45	1/4	382.63	1/4	127.73	1/4		1/4		1/4	
1/2	1,714.26	1/2	1,444.67	1/2	1,175.06	1/2	905.44	1/2	636.94	1/2	377.44	1/2	122.50	1/2		1/2		1/2	
3/4	1,708.65	3/4	1,439.05	3/4	1,169.45	3/4	899.83	3/4	631.44	3/4	372.24	3/4	117.28	3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 01/13/1995 CTC
DECK MEASUREMENTS: 04/30/2012 SW
REPRINTED: 05/01/2012 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 05/2012

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>