



Barge "SMI-752"
Setton Towing, LLC
 INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

0 FT.		1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.		7 FT.		8 FT.		9 FT.		10 FT.		11 FT.	
N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
0	7.14	0	182.18	0	363.53	0	545.01	0	727.27	0	909.52	0	1091.43	0	1268.19	0	1454.99	0	1641.75	0	1828.51	0	2015.27
1/4	9.03	1/4	185.96	1/4	367.31	1/4	548.81	1/4	731.06	1/4	913.32	1/4	1095.17	1/4	1268.25	1/4	1454.99	1/4	1641.75	1/4	1828.51	1/4	2015.27
1/2	10.92	1/2	189.74	1/2	371.08	1/2	552.60	1/2	734.86	1/2	917.12	1/2	1098.91	1/2	1272.37	1/2	1458.82	1/2	1645.58	1/2	1832.34	1/2	2019.10
3/4	14.06	3/4	193.52	3/4	374.86	3/4	556.40	3/4	738.66	3/4	920.91	3/4	1102.65	3/4	1276.40	3/4	1462.15	3/4	1651.70	3/4	1841.25	3/4	2030.30
1	17.21	1	197.30	1	378.63	1	560.20	1	742.45	1	924.71	1	1106.99	1	1274.43	1	1461.88	1	1648.64	1	1835.39	1	2022.15
1/4	20.36	1/4	201.07	1/4	382.41	1/4	563.99	1/4	746.25	1/4	928.51	1/4	1110.12	1/4	1275.80	1/4	1463.05	1/4	1650.30	1/4	1837.05	1/4	2023.30
1/2	23.51	1/2	204.85	1/2	386.18	1/2	567.79	1/2	750.05	1/2	932.30	1/2	1113.66	1/2	1277.17	1/2	1464.30	1/2	1651.55	1/2	1838.30	1/2	2024.55
3/4	27.29	3/4	208.63	3/4	389.95	3/4	571.59	3/4	753.84	3/4	936.10	3/4	1117.60	3/4	1278.55	3/4	1465.55	3/4	1652.80	3/4	1839.55	3/4	2025.80
2	31.06	2	212.41	2	393.73	2	576.39	2	757.64	2	939.90	2	1121.34	2	1279.92	2	1466.80	2	1654.05	2	1840.80	2	2027.05
1/4	34.84	1/4	216.19	1/4	397.50	1/4	579.18	1/4	761.44	1/4	943.69	1/4	1125.08	1/4	1281.17	1/4	1468.05	1/4	1655.30	1/4	1842.05	1/4	2028.30
1/2	38.62	1/2	219.96	1/2	401.28	1/2	582.98	1/2	765.24	1/2	947.49	1/2	1128.82	1/2	1282.29	1/2	1469.30	1/2	1656.55	1/2	1843.30	1/2	2029.55
3/4	42.40	3/4	223.74	3/4	405.05	3/4	586.78	3/4	769.03	3/4	951.29	3/4	1132.56	3/4	1283.40	3/4	1470.55	3/4	1657.80	3/4	1844.55	3/4	2030.80
3	46.18	3	227.52	3	408.82	3	590.57	3	772.83	3	955.09	3	1136.30	3	1284.67	3	1471.80	3	1659.05	3	1845.80	3	2032.05
1/4	49.96	1/4	231.30	1/4	412.60	1/4	594.37	1/4	776.53	1/4	958.88	1/4	1140.04	1/4	1285.82	1/4	1473.05	1/4	1660.30	1/4	1847.05	1/4	2033.30
1/2	53.73	1/2	235.08	1/2	416.37	1/2	598.17	1/2	780.42	1/2	962.68	1/2	1143.78	1/2	1287.07	1/2	1474.30	1/2	1661.55	1/2	1848.30	1/2	2034.55
3/4	57.51	3/4	238.85	3/4	420.15	3/4	601.96	3/4	784.22	3/4	966.48	3/4	1147.51	3/4	1288.29	3/4	1475.55	3/4	1662.80	3/4	1849.55	3/4	2035.80
4	61.29	4	242.63	4	423.92	4	605.76	4	788.02	4	970.27	4	1151.25	4	1289.50	4	1476.80	4	1664.05	4	1850.80	4	2037.05
1/4	65.07	1/4	246.41	1/4	427.69	1/4	609.56	1/4	791.81	1/4	974.07	1/4	1154.99	1/4	1290.71	1/4	1478.05	1/4	1665.30	1/4	1852.05	1/4	2038.30
1/2	68.84	1/2	250.19	1/2	431.47	1/2	613.36	1/2	795.61	1/2	977.87	1/2	1158.73	1/2	1291.92	1/2	1479.30	1/2	1666.55	1/2	1853.30	1/2	2039.55
3/4	72.62	3/4	253.97	3/4	435.24	3/4	617.15	3/4	799.41	3/4	981.66	3/4	1162.47	3/4	1293.13	3/4	1480.55	3/4	1667.80	3/4	1854.55	3/4	2040.80
5	76.40	5	257.74	5	439.02	5	620.95	5	803.21	5	985.46	5	1166.21	5	1294.34	5	1481.80	5	1669.05	5	1855.80	5	2042.05
1/4	80.18	1/4	261.52	1/4	442.79	1/4	624.75	1/4	807.00	1/4	989.26	1/4	1169.96	1/4	1295.55	1/4	1483.05	1/4	1670.30	1/4	1857.05	1/4	2043.30
1/2	83.96	1/2	265.30	1/2	446.56	1/2	628.54	1/2	810.80	1/2	993.06	1/2	1173.69	1/2	1296.76	1/2	1484.30	1/2	1671.55	1/2	1858.30	1/2	2044.55
3/4	87.73	3/4	269.08	3/4	450.34	3/4	632.34	3/4	814.60	3/4	996.85	3/4	1177.43	3/4	1297.97	3/4	1485.55	3/4	1672.80	3/4	1859.55	3/4	2045.80
6	91.51	6	272.86	6	454.11	6	636.14	6	818.39	6	1000.65	6	1181.17	6	1299.18	6	1486.80	6	1674.05	6	1860.80	6	2047.05
1/4	95.29	1/4	276.63	1/4	457.89	1/4	639.93	1/4	822.19	1/4	1004.45	1/4	1184.90	1/4	1300.39	1/4	1488.05	1/4	1675.30	1/4	1862.05	1/4	2048.30
1/2	99.07	1/2	280.41	1/2	461.66	1/2	643.73	1/2	825.99	1/2	1008.24	1/2	1188.64	1/2	1301.60	1/2	1489.30	1/2	1676.55	1/2	1863.30	1/2	2049.55
3/4	102.85	3/4	284.19	3/4	465.43	3/4	647.53	3/4	829.78	3/4	1012.04	3/4	1192.38	3/4	1302.81	3/4	1490.55	3/4	1677.80	3/4	1864.55	3/4	2050.80
7	106.62	7	287.97	7	469.21	7	651.33	7	833.58	7	1015.84	7	1196.12	7	1304.02	7	1491.80	7	1679.05	7	1865.80	7	2052.05
1/4	110.40	1/4	291.75	1/4	472.98	1/4	655.12	1/4	837.38	1/4	1019.63	1/4	1199.90	1/4	1305.23	1/4	1493.05	1/4	1680.30	1/4	1867.05	1/4	2053.30
1/2	114.18	1/2	295.52	1/2	476.76	1/2	658.92	1/2	841.18	1/2	1023.43	1/2	1203.68	1/2	1306.44	1/2	1494.30	1/2	1681.55	1/2	1868.30	1/2	2054.55
3/4	117.96	3/4	299.30	3/4	480.53	3/4	662.72	3/4	844.97	3/4	1027.23	3/4	1207.46	3/4	1307.65	3/4	1495.55	3/4	1682.80	3/4	1869.55	3/4	2055.80
8	121.74	8	303.08	8	484.30	8	666.51	8	848.77	8	1031.03	8	1211.23	8	1308.86	8	1496.80	8	1684.05	8	1870.80	8	2057.05
1/4	125.51	1/4	306.86	1/4	488.08	1/4	670.31	1/4	852.57	1/4	1034.82	1/4	1215.01	1/4	1310.07	1/4	1498.05	1/4	1685.30	1/4	1872.05	1/4	2058.30
1/2	129.29	1/2	310.64	1/2	491.85	1/2	674.11	1/2	856.36	1/2	1038.62	1/2	1218.79	1/2	1311.28	1/2	1499.30	1/2	1686.55	1/2	1873.30	1/2	2059.55
3/4	133.07	3/4	314.41	3/4	495.65	3/4	677.90	3/4	860.16	3/4	1042.42	3/4	1222.57	3/4	1312.49	3/4	1500.55	3/4	1687.80	3/4	1874.55	3/4	2060.80
9	136.85	9	318.19	9	499.45	9	681.70	9	863.96	9	1046.21	9	1226.35	9	1313.70	9	1501.80	9	1689.05	9	1875.80	9	2062.05
1/4	140.63	1/4	321.97	1/4	503.24	1/4	685.50	1/4	867.75	1/4	1050.01	1/4	1230.12	1/4	1314.91	1/4	1503.05	1/4	1690.30	1/4	1877.05	1/4	2063.30
1/2	144.40	1/2	325.75	1/2	507.04	1/2	689.30	1/2	871.55	1/2	1053.81	1/2	1233.90	1/2	1316.12	1/2	1504.30	1/2	1691.55	1/2	1878.30	1/2	2064.55
3/4	148.18	3/4	329.53	3/4	510.84	3/4	693.09	3/4	875.35	3/4	1057.60	3/4	1237.69	3/4	1317.33	3/4	1505.55	3/4	1692.80	3/4	1879.55	3/4	2065.80
10	151.96	10	333.30	10	514.63	10	696.89	10	879.15	10	1061.40	10	1241.46	10	1318.54	10	1506.80	10	1694.05	10	1880.80	10	2067.05
1/4	155.74	1/4	337.08	1/4	518.43	1/4	700.69	1/4	882.94	1/4	1065.20	1/4	1244.89	1/4	1319.75	1/4	1508.05	1/4	1695.30	1/4	1882.05	1/4	2068.30
1/2	159.52	1/2	340.86	1/2	522.23	1/2	704.48	1/2	886.74	1/2	1069.00	1/2	1248.33	1/2	1320.96	1/2	1509.30	1/2	1696.55	1/2	1883.30	1/2	2069.55
3/4	163.29	3/4	344.64	3/4	526.02	3/4	708.28	3/4	890.54	3/4	1072.73	3/4	1251.76	3/4	1322.17	3/4	1510.55	3/4	1697.80	3/4	1884.55	3/4	2070.80
11	167.07	11	348.42	11	529.82	11	712.08	11	894.33	11	1076.47	11	1255.19	11	1323.38	11	1511.80	11	1699.05	11	1885.80	11	2072.05
1/4	170.85	1/4	352.19	1/4	533.62	1/4	715.87	1/4	898.13	1/4	1080.21	1/4	1259.54	1/4	1324.59	1/4	1513.05	1/4	1700.30	1/4	1887.05	1/4	2073.30
1/2	174.63	1/2	355.97	1/2	537.42	1/2	719.67	1/2	901.93	1/2	1083.95	1/2	1263.33	1/2	1325.80	1/2	1514.30	1/2	1701.55	1/2	1888.30	1/2	2074.55
3/4	178.41	3/4	359.75	3/4	541.21	3/4	723.47	3/4	905.72	3/4	1087.69	3/4	1267.14	3/4	1327.01	3/4	1515.55	3/4	1702.80	3/4	1889.55	3/4	2075.80

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 8'-5" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 8/13/01

WE CERTIFY ALL INFORMATION IN ACCORDANCE WITH THE RULES AND REGULATIONS OF THE U.S. COAST GUARD ARE TRUE AND CORRECT.

INSPECTOR



Barge "SML-752"
Settoon Towing, LLC
 INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

	0 FT.	1 FT.	2 FT.	3 FT.	4 FT.	5 FT.	6 FT.	7 FT.	8 FT.	9 FT.	10 FT.	11 FT.
0	6.69	169.13	337.41	505.74	674.61	843.47	1,012.05	1,174.22	0	0	0	0
1/4	8.44	172.63	340.92	509.26	678.13	846.99	1,015.52	1,176.13	1/4	1/4	1/4	1/4
1/2	10.19	176.14	344.43	512.78	681.64	850.51	1,018.99	1,178.05	1/2	1/2	1/2	1/2
3/4	13.11	179.65	347.93	516.30	685.16	854.03	1,022.48	1,179.96	3/4	3/4	3/4	3/4
1	16.03	183.15	351.43	519.81	688.68	857.54	1,025.93	1,181.87	1	1	1	1
1/4	18.95	186.66	354.93	523.33	692.20	861.06	1,029.40	1,183.14	1/4	1/4	1/4	1/4
1/2	21.88	190.16	358.43	526.85	695.72	864.58	1,032.87	1,184.42	1/2	1/2	1/2	1/2
3/4	25.38	193.67	361.94	530.37	699.23	868.10	1,036.34	1,185.69	3/4	3/4	3/4	3/4
2	28.89	197.18	365.44	533.89	702.75	871.62	1,039.81	1,186.97	2	2	2	2
1/4	32.39	200.68	368.94	537.40	706.27	875.13	1,043.28	1,187.60	1/4	1/4	1/4	1/4
1/2	35.90	204.19	372.44	540.92	709.79	878.65	1,046.75	1,188.24	1/2	1/2	1/2	1/2
3/4	39.41	207.69	375.94	544.44	713.31	882.17	1,050.22	1,188.88	3/4	3/4	3/4	3/4
1	42.91	211.20	379.45	547.96	716.82	885.69	1,053.69	1,189.52	1	1	1	1
1/4	46.42	214.71	382.95	551.48	720.34	889.21	1,057.16	1,189.67	1/4	1/4	1/4	1/4
1/2	49.92	218.21	386.45	555.00	723.86	892.72	1,060.63	1,189.83	1/2	1/2	1/2	1/2
3/4	53.43	221.72	389.95	558.51	727.38	896.24	1,064.10	1,189.98	3/4	3/4	3/4	3/4
4	56.94	225.22	393.45	562.03	730.90	899.76	1,067.57	1,190.14	4	4	4	4
1/4	60.44	228.73	396.96	565.57	734.41	903.28	1,071.04	1,190.30	1/4	1/4	1/4	1/4
1/2	63.95	232.24	400.46	569.07	737.93	906.80	1,074.51	1,190.46	1/2	1/2	1/2	1/2
3/4	67.45	235.74	403.96	572.59	741.45	910.31	1,077.98	1,190.62	3/4	3/4	3/4	3/4
5	70.96	239.25	407.46	576.10	744.97	913.83	1,081.45	1,190.78	5	5	5	5
1/4	74.47	242.75	410.96	579.62	748.49	917.35	1,084.92	1,190.94	1/4	1/4	1/4	1/4
1/2	77.97	246.26	414.47	583.14	752.00	920.87	1,088.39	1,191.10	1/2	1/2	1/2	1/2
3/4	81.48	249.77	417.97	586.66	755.52	924.39	1,091.86	1,191.26	3/4	3/4	3/4	3/4
6	84.98	253.27	421.48	590.18	759.04	927.90	1,095.33	1,191.42	6	6	6	6
1/4	88.49	256.78	424.97	593.69	762.56	931.42	1,098.80	1,191.58	1/4	1/4	1/4	1/4
1/2	92.00	260.28	428.48	597.21	766.08	935.49	1,102.27	1,191.74	1/2	1/2	1/2	1/2
3/4	95.50	263.79	431.98	600.73	769.59	939.46	1,105.74	1,191.90	3/4	3/4	3/4	3/4
7	99.01	267.30	435.48	604.25	773.11	943.98	1,109.21	1,192.06	7	7	7	7
1/4	102.51	270.80	438.98	607.77	776.63	948.49	1,112.71	1,192.22	1/4	1/4	1/4	1/4
1/2	106.02	274.31	442.48	611.28	780.15	952.91	1,116.22	1,192.38	1/2	1/2	1/2	1/2
3/4	109.53	277.81	445.99	614.80	783.67	957.33	1,119.73	1,192.54	3/4	3/4	3/4	3/4
8	113.03	281.32	449.49	618.32	787.18	961.75	1,123.23	1,192.70	8	8	8	8
1/4	116.54	284.83	452.99	621.84	790.70	966.17	1,126.74	1,192.86	1/4	1/4	1/4	1/4
1/2	120.04	288.33	456.49	625.36	794.22	970.59	1,130.24	1,193.02	1/2	1/2	1/2	1/2
3/4	123.55	291.84	460.01	628.87	797.74	975.01	1,133.75	1,193.18	3/4	3/4	3/4	3/4
9	127.05	295.34	463.53	632.39	801.26	979.42	1,137.26	1,193.34	9	9	9	9
1/4	130.56	298.85	467.05	635.91	804.77	983.84	1,140.76	1,193.50	1/4	1/4	1/4	1/4
1/2	134.07	302.36	470.56	639.42	808.29	988.25	1,144.27	1,193.66	1/2	1/2	1/2	1/2
3/4	137.57	305.86	474.08	642.95	811.81	992.67	1,147.77	1,193.82	3/4	3/4	3/4	3/4
10	141.08	309.37	477.60	646.46	815.33	997.08	1,151.28	1,194.00	10	10	10	10
1/4	144.59	312.87	481.12	649.98	818.85	1,001.49	1,154.77	1,194.16	1/4	1/4	1/4	1/4
1/2	148.09	316.38	484.63	653.50	822.36	1,005.90	1,158.26	1,194.32	1/2	1/2	1/2	1/2
3/4	151.60	319.88	488.15	657.02	825.88	1,010.31	1,161.75	1,194.48	3/4	3/4	3/4	3/4
11	155.10	323.39	491.67	660.54	829.40	1,014.72	1,165.23	1,194.64	11	11	11	11
1/4	158.61	326.90	495.19	664.05	832.92	1,019.13	1,168.71	1,194.80	1/4	1/4	1/4	1/4
1/2	162.12	330.40	498.71	667.57	836.44	1,023.54	1,172.19	1,194.96	1/2	1/2	1/2	1/2
3/4	165.62	333.91	502.22	671.09	839.95	1,027.95	1,175.67	1,195.12	3/4	3/4	3/4	3/4

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

* CAPACITY BELOW STRIKE POINT.

REFERENCE GAUGE HEIGHT : 8'-5" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)

STRAPPED: 8

WE CERTIFY # IN ACCORDANCE WITH THE RULES AND REGULATIONS OF THE U.S. COAST GUARD ARE TRUE AND CORRECT.



Barge "SMI-752"
Settoon Towing, LLC
 INNAGE TABLE

BARGE SHOULD BE ON EVEN-LEVEL KEEL WHEN GAUGES ARE TAKEN

N	0 FT.	N	1 FT.	N	2 FT.	N	3 FT.	N	4 FT.	N	5 FT.	N	6 FT.	N	7 FT.	N	8 FT.	N	9 FT.	N	10 FT.	N	11 FT.	
0	* 7.14	0	182.18	0	363.53	0	544.86	0	726.58	0	908.31	0	1,089.76	0	1,264.51	0		0		0		0		0
1/4	9.03	1/4	185.96	1/4	367.31	1/4	548.64	1/4	730.37	1/4	912.10	1/4	1,093.50	1/4	1,268.57	1/4		1/4		1/4		1/4		1/4
1/2	10.92	1/2	189.74	1/2	374.08	1/2	552.43	1/2	734.15	1/2	915.88	1/2	1,097.23	1/2	1,268.63	1/2		1/2		1/2		1/2		1/2
3/4	14.06	3/4	193.52	3/4	374.86	3/4	556.21	3/4	737.94	3/4	919.67	3/4	1,100.97	3/4	1,270.69	3/4		3/4		3/4		3/4		3/4
1	17.21	1	197.30	1	378.63	1	560.00	1	745.51	1	923.45	1	1,104.71	1	1,272.75	1		1		1		1		1
1/4	20.36	1/4	201.07	1/4	382.41	1/4	563.79	1/4	745.13	1/4	927.24	1/4	1,108.45	1/4	1,274.13	1/4		1/4		1/4		1/4		1/4
1/2	23.51	1/2	204.85	1/2	386.18	1/2	567.57	1/2	748.30	1/2	931.03	1/2	1,112.19	1/2	1,275.50	1/2		1/2		1/2		1/2		1/2
3/4	27.29	3/4	208.63	3/4	389.95	3/4	571.36	3/4	753.08	3/4	934.81	3/4	1,115.93	3/4	1,276.88	3/4		3/4		3/4		3/4		3/4
2	31.06	2	212.41	2	393.73	2	575.14	2	756.87	2	938.60	2	1,119.67	2	1,278.25	2		2		2		2		2
1/4	34.84	1/4	216.19	1/4	397.50	1/4	578.93	1/4	760.66	1/4	942.38	1/4	1,123.41	1/4	1,278.93	1/4		1/4		1/4		1/4		1/4
1/2	38.62	1/2	219.96	1/2	401.28	1/2	582.71	1/2	764.44	1/2	946.17	1/2	1,127.15	1/2	1,279.62	1/2		1/2		1/2		1/2		1/2
3/4	42.40	3/4	223.74	3/4	405.05	3/4	586.50	3/4	768.23	3/4	949.96	3/4	1,130.89	3/4	1,280.31	3/4		3/4		3/4		3/4		3/4
3	46.18	3	227.52	3	408.82	3	590.29	3	772.01	3	953.74	3	1,134.62	3	1,280.99	3		3		3		3		3
1/4	49.95	1/4	231.30	1/4	412.60	1/4	594.07	1/4	775.80	1/4	957.53	1/4	1,138.36	1/4	1,281.16	1/4		1/4		1/4		1/4		1/4
1/2	53.73	1/2	235.08	1/2	416.37	1/2	597.86	1/2	779.59	1/2	961.31	1/2	1,142.10	1/2	1,281.33	1/2		1/2		1/2		1/2		1/2
3/4	57.51	3/4	238.85	3/4	420.15	3/4	601.64	3/4	783.37	3/4	965.10	3/4	1,145.84	3/4		3/4		3/4		3/4		3/4		3/4
4	61.29	4	242.63	4	423.92	4	605.43	4	787.16	4	968.89	4	1,149.58	4		4		4		4		4		4
1/4	65.07	1/4	246.41	1/4	427.69	1/4	609.22	1/4	790.94	1/4	972.67	1/4	1,153.32	1/4		1/4		1/4		1/4		1/4		1/4
1/2	68.84	1/2	250.19	1/2	431.47	1/2	613.00	1/2	794.73	1/2	976.46	1/2	1,157.05	1/2		1/2		1/2		1/2		1/2		1/2
3/4	72.62	3/4	253.97	3/4	435.24	3/4	616.79	3/4	798.52	3/4	980.24	3/4	1,160.80	3/4		3/4		3/4		3/4		3/4		3/4
5	76.40	5	257.74	5	439.02	5	620.57	5	802.30	5	984.03	5	1,164.54	5		5		5		5		5		5
1/4	80.18	1/4	261.52	1/4	442.79	1/4	624.36	1/4	806.09	1/4	987.82	1/4	1,168.28	1/4		1/4		1/4		1/4		1/4		1/4
1/2	83.96	1/2	265.30	1/2	446.56	1/2	628.15	1/2	809.87	1/2	991.60	1/2	1,172.01	1/2		1/2		1/2		1/2		1/2		1/2
3/4	87.73	3/4	269.08	3/4	450.34	3/4	631.93	3/4	813.66	3/4	995.39	3/4	1,175.75	3/4		3/4		3/4		3/4		3/4		3/4
6	91.51	6	272.86	6	454.11	6	635.72	6	817.45	6	999.17	6	1,179.49	6		6		6		6		6		6
1/4	95.29	1/4	276.63	1/4	457.89	1/4	639.50	1/4	821.23	1/4	1,002.96	1/4	1,183.23	1/4		1/4		1/4		1/4		1/4		1/4
1/2	99.07	1/2	280.41	1/2	461.66	1/2	643.29	1/2	825.02	1/2	1,006.75	1/2	1,186.97	1/2		1/2		1/2		1/2		1/2		1/2
3/4	102.85	3/4	284.19	3/4	465.43	3/4	647.08	3/4	828.80	3/4	1,010.53	3/4	1,190.71	3/4		3/4		3/4		3/4		3/4		3/4
7	106.62	7	287.97	7	469.21	7	650.86	7	832.59	7	1,014.32	7	1,194.45	7		7		7		7		7		7
1/4	110.40	1/4	291.75	1/4	472.98	1/4	654.65	1/4	836.38	1/4	1,018.10	1/4	1,198.23	1/4		1/4		1/4		1/4		1/4		1/4
1/2	114.18	1/2	295.52	1/2	476.76	1/2	658.43	1/2	840.16	1/2	1,021.89	1/2	1,202.00	1/2		1/2		1/2		1/2		1/2		1/2
3/4	117.96	3/4	299.30	3/4	480.53	3/4	662.22	3/4	843.95	3/4	1,025.68	3/4	1,205.78	3/4		3/4		3/4		3/4		3/4		3/4
8	121.74	8	303.08	8	484.30	8	666.01	8	847.73	8	1,029.46	8	1,209.56	8		8		8		8		8		8
1/4	125.51	1/4	306.86	1/4	488.08	1/4	669.79	1/4	851.52	1/4	1,033.25	1/4	1,213.34	1/4		1/4		1/4		1/4		1/4		1/4
1/2	129.29	1/2	310.64	1/2	491.85	1/2	673.58	1/2	855.31	1/2	1,037.03	1/2	1,217.12	1/2		1/2		1/2		1/2		1/2		1/2
3/4	133.07	3/4	314.41	3/4	495.64	3/4	677.36	3/4	859.09	3/4	1,040.82	3/4	1,220.90	3/4		3/4		3/4		3/4		3/4		3/4
9	136.85	9	318.19	9	499.42	9	681.15	9	862.88	9	1,044.61	9	1,224.67	9		9		9		9		9		9
1/4	140.63	1/4	321.97	1/4	503.21	1/4	684.94	1/4	866.66	1/4	1,048.39	1/4	1,228.45	1/4		1/4		1/4		1/4		1/4		1/4
1/2	144.40	1/2	325.75	1/2	507.00	1/2	688.72	1/2	870.45	1/2	1,052.18	1/2	1,232.23	1/2		1/2		1/2		1/2		1/2		1/2
3/4	148.18	3/4	329.53	3/4	510.78	3/4	692.51	3/4	874.24	3/4	1,055.96	3/4	1,236.01	3/4		3/4		3/4		3/4		3/4		3/4
10	151.96	10	333.30	10	514.57	10	696.29	10	878.02	10	1,059.75	10	1,239.79	10		10		10		10		10		10
1/4	155.74	1/4	337.08	1/4	518.35	1/4	700.08	1/4	881.81	1/4	1,063.54	1/4	1,243.52	1/4		1/4		1/4		1/4		1/4		1/4
1/2	159.52	1/2	340.86	1/2	522.14	1/2	703.87	1/2	885.59	1/2	1,067.32	1/2	1,247.26	1/2		1/2		1/2		1/2		1/2		1/2
3/4	163.29	3/4	344.64	3/4	525.93	3/4	707.65	3/4	889.38	3/4	1,071.06	3/4	1,250.99	3/4		3/4		3/4		3/4		3/4		3/4
11	167.07	11	348.42	11	529.71	11	711.44	11	893.17	11	1,074.80	11	1,253.52	11		11		11		11		11		11
1/4	170.85	1/4	352.19	1/4	533.50	1/4	715.22	1/4	896.95	1/4	1,078.54	1/4	1,257.27	1/4		1/4		1/4		1/4		1/4		1/4
1/2	174.63	1/2	355.97	1/2	537.28	1/2	719.01	1/2	900.74	1/2	1,082.28	1/2	1,259.02	1/2		1/2		1/2		1/2		1/2		1/2
3/4	178.41	3/4	359.75	3/4	541.07	3/4	722.80	3/4	904.52	3/4	1,086.02	3/4	1,261.77	3/4		3/4		3/4		3/4		3/4		3/4

* CAPACITY BELOW STRIKE POINT. REFERENCE GAUGE HEIGHT : 8'-5" (RIM OF 2" DIAMETER BALL VALVE LOCATED NEAR CENTER OF TANK)